

A limitless supply of heat A major boost to efficiency

Versatile cylinder technology for hot water and heating energy in one



It's simply ingenious – while we're still nice and comfortable in bed, our cylinder is keeping enough hot water at the ready. It's then just a matter of using it when we freshen up for the day ahead.

Comfort through technology



Give your personal energy transition a boost

Renewable energies are the key to a sustainable heat supply. With a heat pump, you not only improve your personal carbon footprint, but also create secure prospects for your home. That's the way to achieve sustainable wellbeing today.

Making your home energy efficient has become an important component in combating global climate change. There is enormous potential here to reduce energy costs and make the switch to heating with renewables. The biggest energy guzzler in residential buildings is the heating system. Almost 80 % of the energy you use goes on heating and hot water.

Set your sights on a futureproof supply

The time is up for using fossil fuels to generate heat. By facilitating a green transition for our blue planet with sustainable technologies, we are taking on our share of responsibility for future generations. A heat pump allows you to utilise renewable energy for hot water, heating, ventilation and cooling in your home. This improves your personal carbon footprint, makes you more independent and best of all: you don't lose the heating and hot water convenience you are used to. Powered by green electricity, the heat pump is simply unbeatable in terms of sustainability.



www.stiebel-eltron.com/promise



Produce usable heat even more efficiently

If you rely on environmental or solar energy to heat your home and domestic hot water, installing a system cylinder makes perfect sense. After all, we don't always need heat at the time it's produced. These appliances store heat as hot water so that you can use it whenever you need to. We have the right cylinder for every type of building and set of circumstances.

Good reasons to enjoy your home comforts

- › Efficient and reliable heat pump operation thanks to specific system cylinders
- › Storage of solar heat with minimum losses
- › Effective use of more cost-efficient tariffs as well as your own solar power



Practical storage of renewables

Cylinders really are multi-talented. They not only keep a supply of heat ready for when you need it, but also improve the efficiency of your heating system or heat pump. To help you choose the right cylinder for your needs, it's important to understand the difference between the thermal cylinder solutions – buffer cylinders support your heating system, whereas DHW cylinders reliably supply your home with domestic hot water.

Choosing the right cylinder

Take the heat source into account

Most cylinders are designed to be used in combination with a heat pump. Other models are available, however, that can be used in conjunction with oil or gas heating. Plus, if you want to integrate a solar thermal system, we have a range of suitable SOL versions available.

Select the right size

The size of the cylinder has a significant impact on its efficiency. If you opt for a smaller model, the heat generator needs to operate at full load in short intervals, which uses a lot of energy. If the cylinder is oversized, you will have unnecessarily high standby energy losses.

Decide where to install

The ideal, all-round efficient solution is to install both a buffer cylinder and a DHW cylinder. If there isn't enough space in your home to accommodate the two appliances separately, STIEBEL ELTRON has the answer – our integral cylinders are compact units that house both types of cylinders in one casing.

Make the best choice for all your plans


DHW cylinders



Page 08

SBB 301-302 WP
SBB 401-501 WP SOL

Model	SBB 301-302 WP SBB 401-501 WP SOL
Detached and two-family house	■ ■
Apartment building	■
Commercial large scale system	
Heating cooling	
Domestic hot water	■
Nominal capacity	301, 290, 395, 495 l
Combination with heat pump	■
Combination with solar gas	■ ■
Product class	Premium



Page 10

STD 180-520-1 Plus

Model	STD 180-520-1 Plus
Detached and two-family house	■ ■
Apartment building	■
Commercial large scale system	
Heating cooling	
Domestic hot water	■
Nominal capacity	314, 418, 522 l
Combination with heat pump	■
Combination with solar gas	
Product class	Plus



Page 11

SBB 600-1000 WP SOL

Model	SBB 600-1000 WP SOL
Detached and two-family house	- ■
Apartment building	■
Commercial large scale system	■
Heating cooling	
Domestic hot water	■
Nominal capacity	565, 741, 836 l
Combination with heat pump	■
Combination with solar gas	■ ■
Product class	Plus

Integral cylinders



Page 16

HSBB 180 (S) Plus

Model	HSBB 180 (S) Plus
Detached and two-family house	■ -
Apartment building	
Commercial large scale system	
Heating cooling	■ ■
Domestic hot water	■
Nominal capacity	178 l
Combination with heat pump	■
Combination with solar gas	
Product class	Plus



Page 18

HSBC 180 (S) Plus

Model	HSBC 180 (S) Plus
Detached and two-family house	■ -
Apartment building	
Commercial large scale system	
Heating cooling	■ ■
Domestic hot water	■
Nominal capacity	178 l (buffer cylinder 80 l)
Combination with heat pump	■
Combination with solar gas	
Product class	Plus

Buffer cylinders



Page 19

STH 210-720 (-1 Plus)

Model	STH 210-720 (-1 Plus)
Detached and two-family house	■ ■
Apartment building	
Commercial large scale system	
Heating cooling	■ ■
Domestic hot water	■
Nominal capacity	207, 415, 703, 720 l
Combination with heat pump	■
Combination with solar gas	■ ■
Product class	Plus

Integral cylinders



Page 12

HSBC 300 cool

■ | -

■ | ■

270 l (buffer cylinder 100 l)

■

Premium



Page 12

HSBC 300 L cool

■ | -

■ | ■

270 l (buffer cylinder 100 l)

■

Premium



Page 14

HSBC 200 (S)

■ | -

■ | ■

168 (buffer cylinder 100 l)

■

Premium



Page 14

HSBC 200 L

■ | -

■ | ■

180 l (buffer cylinder 100 l)

■

Plus

Inst. water cylinders



Page 20

SBP 200-700 E
SBP 700 E SOL

■ | ■

■ | ■

207, 415, 703, 720 l

■

■ | ■

Plus



Page 22

SBP 1000-1500 E cool

- | ■

■

■ | ■

■ | ■

1006, 1503 l

■

■ | ■

Plus



Page 24

SBP 100 Plus

■ | -

■

■ | ■

100 l

■

Trend



Page 25

SBS 601-1501 W
SBS 601-1501 W SOL

■ | ■

■

■ | -

■

599, 613, 740, 759, 916, 941, 1430, 1500 l

■

■ | ■

Premium

Choose an efficient partner for your heat pump

DHW cylinder SBB 301-501 WP SOL

If you value high hot water convenience and a good level of efficiency, these cylinder solutions are for you. These appliances work together with a heat pump to supply hot water in family homes.

Making effective use of the sun

And that's not all these appliances can do. One of our cylinder models is equipped with a special smooth tube indirect coil. This allows you to make full and efficient use of the heat yield from your solar thermal system.

What convinces this product

- › For DHW heating in family homes
- › Designed for different heat pumps
- › Special version can be combined with a solar thermal system

This product is available
in various designs.



DHW heating



Make the link between hot water and high efficiency

DHW cylinder STD 180-520-1 Plus



Our solutions allow you to make good use of water heated with environmental energy. You simply need to combine your environmentally responsible heating heat pump with this DHW cylinder. It's also an effective way to boost energy efficiency. Under ErP rules, the appliance is rated class B.

Versatile, long term use

Remarkable efficiency is just one of the many benefits that you can look forward to. Thanks to integral corrosion protection, you can continue to enjoy your cylinder for many years to come. It doesn't matter whether you live in a single or two-family house, the appliance is suitable for use in both types of building.

What convinces this product

- › DHW cylinders for combination with heating heat pumps
- › Low standby losses for efficient operation
- › Integral corrosion protection
- › Choice of 300, 400 or 500 litre version, depending on DHW demand



DHW heating

Store hot water on a grand scale

Floor mounted DHW cylinder SBB 600-1000 WP SOL



Looking for a hot water supply on a grand scale? No problem! These cylinders are suitable for combination with large heat pumps such as those used in family homes and commercial buildings. If you find that your demand increases, you can easily retrofit an auxiliary heater.

Soak up all the sun

These hot water cylinders also use solar heat on a large scale. With a nominal capacity of more than 800 litres, they allow you to store the heat obtained even from larger solar thermal systems with ease. Where demand is greater still, simply link the cylinders in series.

What convinces this product

- › Large nominal cylinder capacity of more than 800 litres
- › Even greater efficiency through highly effective WDH SBB thermal insulation as an optional accessory
- › Increased service life due to corrosion protection as standard
- › Can optionally be equipped with an auxiliary heater



DHW heating



Save a good deal of space

Integral cylinder HSBC 300 (L) cool

When it comes to accommodating multiple functions in a space saving design, this integral cylinder is far ahead of the pack. There's no need to install two cylinders next to one another – instead, you can use a single unit that has the DHW cylinder and the buffer cylinder arranged one on top of the other. As a result, you only need half as much installation space.

Control the system with ease

We have carefully matched both versions of this integral cylinder so that they can be used in a family house in conjunction with one of our heat pumps. Plus, with the heat pump manager (WPM) built in, controlling your appliances couldn't be easier.

What convinces this product

- › Combi unit comprising a DHW cylinder and a buffer cylinder
- › For greater hot water convenience
- › Halves the installation space required for separate cylinders
- › Compact, reliable and energy saving
- › Perfect for combination with a heat pump
- › Can be integrated into a heating or cooling system
- › Connection of two heating circuits possible
- › With integral heat pump manager for even faster installation of the overall system (not with every version)

This product is available in various designs.



DHW heating



Heating



Cooling

Put together the perfect duo for your home

Integral cylinder HSBC 200

Opt for one appliance and get two cylinders. That's possible with this cylinder solution. This space saving combination of hot water cylinder and buffer cylinder gives you a capacity of up to 270 litres. This ensures a reliable supply to your home.

Never do without heat

Thanks to its carefully coordinated design, you can easily connect the integral cylinder to a suitable model from our range of efficient air source heat pumps. This ensures an absolutely reliable supply of domestic hot water and heating energy in your home.

What convinces this product

- › Combi unit comprising a DHW cylinder of up to 170 litres with a buffer cylinder
- › Halves the installation space required for separate cylinders
- › Compact, reliable and energy saving for use in family homes
- › Perfect for combination with an air source heat pump for DHW heating and room heating
- › Connection of two heating circuits possible
- › Further model available for combination with a heat pump with integral controller (HSBC 200 L)

This product is available in various designs.



DHW heating



Heating



Cooling





Form alliances for added convenience

Cylinder hydraulic module HSBB 180 Plus

Are you looking for a cylinder solution for your newly built detached house? Then you've come to the right place. Combine this indoor floorstanding hot water cylinder with one of our outdoor heat pumps and enjoy high levels of convenience and cost savings – especially if your home is equipped throughout with underfloor heating. The cylinder integrates all hydraulic components for maximum practicality.

Skilful adaptation

When summer comes and it's time to turn the heating off, the cylinder also supports cooling via the heat pump and underfloor heating system. The minimalist design of the cylinder also helps it to look great in whatever installation room you choose.

What convinces this product

- › Appliance for indoor installation, containing all important hydraulic components
- › Compact, reliable and energy saving for use in family homes
- › Perfect for combination with a heat pump installed outdoors
- › Can also be used for cooling via underfloor heating system or fan convectors



DHW heating



Heating



Cooling



Benefit from a range of functions in the smallest of spaces

Integral cylinder HSBC 180 Plus



This integral cylinder makes it easy for you to enjoy heating and hot water at any time, yet in a particularly economical way. The integral buffer cylinder stores thermal energy that isn't currently needed and releases it to the heating circuit when it is. At the same time, it also boosts the reliability of the system as a whole. Thus making sure that you're plentifully supplied.

Find your cool in the summer

An additional benefit of this integral cylinder is the option for cooling via an underfloor heating system or fan convectors. Despite this extensive functionality, you need only a compact appliance which takes up minimal space, conveniently combined with an outdoor air source heat pump.

What convinces this product

- › Combi unit comprising a DHW cylinder and a buffer cylinder
- › Halves the installation space required for separate cylinders
- › Compact, reliable and energy saving
- › Perfect for combination with heat pumps installed outdoors for DHW heating and room heating
- › Can also be used for cooling



DHW heating



Heating



Cooling

The perfect complement to your heat pump

Buffer cylinder STH 210-720-1 Plus



You've decided on an environmentally responsible heat pump and are now looking for an accompanying buffer cylinder. This model for detached and two-family houses is the perfect choice. If necessary, you can also connect an electric heater to the cylinder for a plentiful heat supply. If your heat pump supports reverse operation, the appliance can also store the water required for cooling.

Make use of thermal energy

Our range also includes a model equipped with a special indirect coil, which allows you to make efficient and effective use of the heat yielded by your solar thermal system.

Top product features

- › Designed for different heat pumps
- › Cooling operation possible
- › Individual cylinder selection subject to system size
- › Highly effective thermal insulation



Heating



Cooling

The perfect complement to your heat pump

Buffer cylinder SBP 200-700 E (SOL)

Have you decided on an environmentally responsible heat pump and are now looking for an accompanying buffer cylinder? This model for family houses is the perfect choice. If necessary, you can also connect an electric heater to the cylinder for a plentiful heat supply. If your heat pump supports reverse operation, the appliance can also store the water required for cooling.

Make use of thermal energy

Our range also includes a model equipped with a special indirect coil. This allows you to make efficient and effective use of the heat yielded by your solar thermal system.

What convinces this product

- › Designed for different heat pumps
- › Cooling operation possible
- › Individual cylinder selection subject to system size
- › Highly effective thermal insulation



Heating



Cooling





Overcome major challenges with ease

Buffer cylinder SBP 1000-1500 E cool

Well equipped for major challenges – the larger versions of this buffer cylinder can be easily linked to large, high performance heat pumps, including cascades.

Enjoy the full range of functions

The larger versions of this cylinder are the preferred option for apartment buildings. A reliable operating pressure of 10 bar helps to ensure a particularly high level of reliability. If you opt to use the appliance for cooling as well, you'll have everything you need to enjoy the full range of functions offered by our heat pumps.

What convinces this product

- › Specifically sized for high heat pump output, for example in the form of a cascade arrangement
- › Cooling operation possible
- › Thermal insulation as an optional accessory

This product is available in various designs.



Heating



Cooling

A practical, versatile solution

Buffer cylinder SBP 100 Plus



This buffer cylinder is bound to impress with its compact design and space saving, floor-standing configuration. As a further practical benefit, you can also use it for cooling.

What convinces this product

- › Ideal addition to small heat pump systems in family homes
- › Floorstanding version



Heating



Cooling

Let a strong team take care of the work

Instantaneous water cylinder SBS 601-1501 W (W SOL)



This product is available in various designs.

Smart technology in the smallest of spaces: you don't have to give up much room to accommodate this buffer cylinder and DHW cylinder combination. An additional benefit is the high level of hygiene. As the appliance contains a very effective indirect coil, it stores only small quantities of domestic hot water. The buffer cylinder retains heat for room heating whenever you need it.

Integrate solar energy

With one of our efficient heat pumps, you can easily connect an additional heat source. We also offer a version of the instantaneous water cylinder that allows you to enjoy the benefits of a solar thermal system as well.

What convinces this product

- › Space and price advantage due to two functions in a single cylinder
- › Wide range of possible applications through combination with a solar thermal system (special versions) or with other heat generators
- › Only one cylinder for DHW heating and room heating
- › Halves the installation space required for separate cylinders
- › Universal application options



DHW heating



Protemp-Flow



Heating

DHW cylinders product comparison

		SBB 301 WP	SBB 302 WP	SBB 401 WP SOL	SBB 501 WP SOL
Part number		221360	221361	221362	227534
Energy efficiency class		C	C	C	C
Nominal capacity	l	301	290	395	495
Surface area, heat exchanger, top	m ²	3.20	4.80	4.00	5.00
Surface area, heat exchanger, bottom	m ²			1.40	1.40
Standby energy consumption/24 h at 65 °C	kWh	2.10	2.10	2.40	2.40
Height	mm	1710	1710	1880	1988
Diameter incl. thermal insulation	mm	700	700	750	810
Height when tilted	mm	1,750	1,750	1,930	2,035
Weight	kg	156	184	219	260
Product class Premium/Plus/Trend		■/-/-	■/-/-	■/-/-	■/-/-

		STD 180-1 Plus	STD 315-1 Plus	STD 420-1 Plus	STD 520-1 Plus
Part number		205874	204784	204785	204786
Energy efficiency class		B	B	B	B
Nominal capacity	l	187	314	418	522
Surface area, heat exchanger, top	m ²	2,00	2,00	2,60	3,20
Standby energy consumption/24 h at 65 °C	kWh	1,30	1,70	1,80	1,90
Height	mm	1210	1619	1799	1904
Diameter incl. thermal insulation	mm	600	650	730	780
Height when tilted	mm	1,379	1,750	1,946	2,063
Weight	kg	90	111	139	182
Product class Premium/Plus/Trend		-/■/-	-/■/-	-/■/-	-/■/-

		SBB 600 WP SOL	SBB 800 WP SOL	SBB 1000 WP SOL
Part number		235906	235907	235908
Nominal capacity	l	575	770	835
Surface area, heat exchanger, top	m ²	5.70	6.20	6.20
Surface area, heat exchanger, bottom	m ²	2.00	2.60	3.60
Diameter incl. thermal insulation	mm	970	1,010	1,010
Height when tilted	mm	1,813	1,990	2,185
Weight	kg	256	302	321
Product class Premium/Plus/Trend		-/■/-	-/■/-	-/■/-

		WDH 600 SBB	WDH 800 SBB	WDH 1000 SBB
Part number		235909	235910	235911
Insulation for		SBB 600 WP SOL	SBB 800 WP SOL	SBB 1000 WP SOL
Thermal insulation thickness	mm	110	110	110
Standby energy consumption/24 h at 65 °C	kWh	2.70	3.00	3.40

Integral cylinders product comparison

	HSBC 300 cool		HSBC 300 L cool	
Part number	203801		238826	
Energy efficiency class	B		B	
Nominal capacity, DHW cylinder	l	270	270	
Nominal capacity, buffer cylinder	l	100	100	
Surface area, heat exchanger	m ²	3.20	3.20	
Standby energy consumption/24 h at 65 °C	kWh	1.50	1.50	
Height	mm	1918	1918	
Width	mm	680	680	
Depth	mm	910	910	
Height when tilted	mm	2123	2123	
Weight	kg	250	248	
Product class Premium/Plus/Trend	■/-/-		■/-/-	

	HSBC 200		HSBC 200 S		HSBC 200 L	
Part number	233510		234801		236684	
Energy efficiency class	B		B		B	
Nominal capacity, DHW cylinder	l	168	168		180	
Nominal capacity, buffer cylinder	l	100	100		100	
Surface area, heat exchanger	m ²	3.30	3.30		1.60	
Standby energy consumption/24 h at 65 °C	kWh	1.30	1.30		1.30	
Height	mm	1908	1908		1908	
Width	mm	680	680		680	
Depth	mm	871	871		800	
Height when tilted	mm	2107	2107		2107	
Weight	kg	203	203		185	
Product class Premium/Plus/Trend	■/-/-		■/-/-		-/■/-	

	HSBB 180 Plus		HSBB 180 S Plus	
Part number	202926		203084	
Energy efficiency class	B		B	
Nominal capacity, DHW cylinder	l	178	178	
Surface area, heat exchanger	m ²	1.59	1.59	
Standby energy consumption/24 h at 65 °C	kWh	1.29	1.29	
Height	mm	1300	1300	
Width	mm	605	605	
Depth	mm	917	917	
Height when tilted	mm	1420	1420	
Weight	kg	99	99	
Product class Premium/Plus/Trend	-/■/-		-/■/-	

	HSBC 180 Plus		HSBC 180 S Plus	
Part number	202927		203082	
Energy efficiency class	B		B	
Nominal capacity, DHW cylinder	l	178	178	
Nominal capacity, buffer cylinder	l	80	80	
Surface area, heat exchanger	m ²	1.59	1.59	
Standby energy consumption/24 h at 65 °C	kWh	1.29	1.29	
Height	mm	1910	1910	
Width	mm	605	605	
Depth	mm	917	917	
Height when tilted	mm	1986	1986	
Weight	kg	134	134	
Product class Premium/Plus/Trend	-/■/-		-/■/-	

Buffer cylinders product comparison

		STH 210 Plus	STH 415 Plus	STH 720 Plus	STH 720-1 Plus
Part number		203763	203764	203765	203766
Energy efficiency class		B	B		
Nominal capacity	l	207	415	720	703
Surface area, heat exchanger, bottom	m ²				2
Standby energy consumption/24 h at 65 °C	kWh	1.10	1.60	2.20	2.20
Height	mm	1535	1710	1890	1890
Diameter incl. thermal insulation	mm	630	750	910	910
Height when tilted	mm	1650	1800	2000	2000
Weight	kg	58	81	185	216
Product class Premium/Plus/Trend		-/■/-	-/■/-	-/■/-	-/■/-

		SBP 200 E	SBP 400 E	SBP 700 E	SBP 700 E SOL
Part number		185458	220824	185459	185460
Energy efficiency class		B	B	B	B
Nominal capacity	l	207	415	720	703
Surface area, heat exchanger, bottom	m ²				2
Standby energy consumption/24 h at 65 °C	kWh	1.10	1.60	2.20	2.20
Height	mm	1535	1710	1890	1890
Diameter incl. thermal insulation	mm	630	750	910	910
Height when tilted	mm	1650	1800	2000	2000
Weight	kg	58	81	185	216
Product class Premium/Plus/Trend		-/■/-	-/■/-	-/■/-	-/■/-

		SBP 1000 E cool	SBP 1010 E cool	SBP 1500 E cool
Part number		227588	236570	227589
Nominal capacity	l	1006	1006	1503
Max. permissible pressure	MPa	0.30	1.00	0.30
Height incl. thermal insulation	mm	2340	2340	2255
Diameter incl. thermal insulation	mm	1010	1010	1220
Height when tilted	mm	2335	2335	2250
Weight	kg	181	242	239
Product class Premium/Plus/Trend		-/■/-	-/■/-	-/■/-

		WDH 1000 cool	WDH 1500 cool
Part number		231921	231922
Insulation for		SBP 1000 E cool and SBP 1010 E cool	SBP 1500 E cool
Thermal insulation thickness	mm	110	110
Standby energy consumption/24 h at 65 °C	kWh	3.50	4.00

Buffer cylinders product comparison

		SBP 100 Plus
Part number		206279
Nominal capacity	l	100
Standby energy consumption/24 h at 65 °C	kWh	1.50
Height	mm	750
Diameter	mm	542
Weight	kg	140
Product class Premium/Plus/Trend		-/■/-

Instant water cylinders product comparison

		SBS 601 W	SBS 601 W SOL	SBS 801 W	SBS 801 W SOL	SBS 1001 W	SBS 1001 W SOL	SBS 1501 W	SBS 1501 W SOL
Part number		229980	229984	229981	229985	229982	229986	229983	229987
Nominal capacity	l	613	599	759	740	941	916	1430	1399
Area of DHW cylinder heat exchanger	m ²	6.00	6.00	6.50	6.50	8.70	8.70	10.00	10.00
Max. recommended collector aperture area	m ²		12		16		20		30
Height incl. thermal insulation	mm	1,775	1,775	1,940	1,940	2,350	2,350	2,265	2,265
Diameter incl. thermal insulation	mm	970	970	1,010	1,010	1,010	1,010	1,220	1,220
Height when tilted	mm	1,840	1,840	1,880	1,880	2,285	2,285	2,225	2,225
Weight	kg	135	180	150	195	175	220	236	291
Product class Premium/Plus/Trend		■/-/-	■/-/-	■/-/-	■/-/-	■/-/-	■/-/-	■/-/-	■/-/-

		WDH 601 SBS	WDH 801 SBS	WDH 1001 SBS	WDH 1501 SBS
Part number		231925	231926	231927	231928
Insulation for		SBS 601 W, W SOL	SBS 801 W, W SOL	SBS 1001 W, W SOL	SBS 1501 W, W SOL
Thermal insulation thickness	mm	110	110	110	110
Standby energy consumption/24 h at 65 °C	kWh	2.60	2.90	3.50	4.10

Sustainable comfort

Clean electricity is the future. That's why we focus worldwide on electricity-based and highly efficient green tech solutions for hot water, heating, ventilation and cooling – so that you can enjoy sustainable comfort at home. As a family business, we act for the future – yours and ours.



[www.stiebel-eltron.com/
about-stiebel-eltron](http://www.stiebel-eltron.com/about-stiebel-eltron)

At STIEBEL ELTRON, we offer highly efficient products and services for heating, cooling, ventilation and hot water in buildings. We maintain a clear focus and promote the energy transition: renewable electricity is the driving force behind our products. With more than 6000 employees, we are committed to innovation and always strive for better solutions.

From design and manufacture through to servicing your appliance, we systematically apply our experience from 100 years of hot water heating, almost 50 years of heat pump engineering and 30 years of ventilation technology to offer you futureproof systems. Our goal is to deliver greater convenience and benefits in all our homes!

You can see first hand our commitment to green tech by visiting the Energy Campus at our head office in Holzminden, Germany. This training and communication centre is our flagship project for sustainable and resource-efficient construction. It combines the highest standards of architectural and communication quality. As a PlusEnergy building, it generates more energy than it consumes. Come and experience what our name stands for – in theory and practice.

Partnership with vision

We are a premium and sustainability partner of the Bundesliga football team Borussia Dortmund. As a heating expert, we are supporting the BVB on its path to a CO₂-free future.

STIEBEL ELTRON



**SUSTAINABILITY
PARTNER**

100YRS
1924-2024



For new and interesting information on our products, visit www.stiebel-eltron.com or consult your local trade partner.



[www.stiebel-eltron.com/
international-offices](http://www.stiebel-eltron.com/international-offices)

STIEBEL ELTRON



**PREMIUM
PARTNER**

STIEBEL ELTRON International GmbH | Dr.-Stiebel-Straße 33 | 37603 Holzminden | Germany | www.stiebel-eltron.com

Legal notice | In spite of our careful efforts, we are not liable for any inaccuracies in the content of this brochure. Information concerning equipment levels and specifications is subject to modification. The equipment features described in this brochure are non-binding regarding the specification of the final product. Due to our policy of ongoing improvement, some features may be changed or even removed. Please consult your local dealer for information about the very latest equipment features. The images in this brochure are for reference only. The illustrations also contain installation components, accessories and special equipment that do not form part of the standard delivery. Reprinting of all or part of this brochure is only lawful with the publisher's express permission.