

# Warmth for every requirement Comfort in every respect

Direct heaters and Storage heaters with classic technology for clean heat generation







### Find the best solution for your project

In the bathroom in the morning or in your recreational room for a few hours at the weekend — these occasions call for extra heat for a short time. The ideal solution here is an electric heater, which is particularly good at delivering precise amounts of heat. Since the appliances respond quickly, they make it easy and economical to provide heat accurately in specific rooms.

Direct heaters are especially suitable for rooms in your home that you rarely use or where there is no other form of heating. They are also ideal as booster heaters or interim heaters in spring/autumn. Our appliances offer you a convenient and flexible way to create a pleasant room atmosphere. And as they are powered by green electricity, the heat they supply is also carbon neutral.

### Convectors







Model
Thermal convection   with fan   radiant heating
Suitable for renovation and new build
leating output
Vall mounted: horizontal   vertical
Connection: plug-in   permanent connection   FIL-pilo
P rating
Protection class
Product class

CON Premium	
<b>■</b>  - -	
•	
500-3000 W	
<b>=</b>  -	
= = =	
IP24	
I	
Premium	

Page 08	Page 09
CNS Trend M	CWM P
■ - -	<b>-</b>  - -
•	•
500-3000 W	500-3000 W
■ -	<b>-</b>  -
■ - -	<b>=</b>   <b>=</b>  -
P24	IP24
I	I
Trend	Trend



### Rapid heaters Small heaters











Page 10	Page 12		
CK Premium	CK Plus		
- = -	- = -		
•	•		
1000-2000 W	2000 W		
- =	- =		
<b>■</b>  - -	<b>■</b>  - -		
IP24	IP24		
I	ı		
Premium	Plus		

Page 13	
CK Trend LCD	
- = -	
•	
2000 W	
- =	
<b>■</b>  - -	
IP24	
II	
Trend	

Page 14	Page 15	
CK Trend	iw	
- = -	- - =	
•	•	
2000 W	1200 W	
- =	<b>-</b>  -	
<b>■</b>  - -	- = -	
IP24	IPX4	
II	I	
Trend	Trend	





## Precision heating with style

Wall mounted convector CON Premium

With this direct heater, you enhance your room in two ways. The appliance not only provides pleasant warmth, but also blends in perfectly with your interior décor thanks to its high quality design. So you don't have to choose between warmth and style.

### Flexible heat control

The wall mounted convector also plays to its strengths when it comes to convenience. Use the weekly timer to set a precise temperature for several days, or adjust the temperature spontaneously at the touch of a button for anything from ten minutes to two hours. When you air the room, the appliance switches off automatically.

### What convinces this product

- Wall mounted convector ideal as an auxiliary heater or interim heater in spring/autumn
- > Even, quiet, air heating
- High quality design with an aluminium front
- Operating controls with illuminated LCD screen
- Weekly timer, 120-minute timer, frost protection and open window detection
- Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- ) ON/OFF switch and overheating protection



Open window detection



Weekly timer



Short-time timer



### Convenient warmth exactly where you need it

Convector CNS Trend M



Do you want pleasant temperatures in very specific places in your home? In addition to your central heating? Then this practical wall mounted convector is the heater for you. Its slimline design makes it very easy to integrate.

### Effective resistance to the cold

The slimline appliance is very robust and can therefore withstand even the chaos and commotion of everyday life. An integrated frost protection function precludes heating system failures due to low temperatures.

- Compact wall mounted convector, ideal as an auxiliary heater or interim heater in spring/autumn
- > Extremely slimline design
- ) Mechanical temperature controller
- > Safety through overheating protection
- > Robust design
- > Frost protection setting



## Heat that works in your space

Convector CWM P



Even in small or cramped rooms, you shouldn't have to miss out on cosy warmth. That's why this heater is so compact. With a depth of just 10 cm, it is particularly slimline, requiring very little space for installation. Nevertheless, the appliance offers you excellent thermal comfort.

### Enjoy a wide range of benefits

Although the wall mounted convector blends very discreetly into your room, it supplies heat efficiently. Useful features contribute to its efficiency: the weekly timer and open window detection make operation easier for you.

### What convinces this product

- Wall mounted convector ideal as a supplementary heater or interim heater in spring/autumn
- > Even, quiet, air heating
- ) Metal casing and slimline design
- Operating controls with illuminated LCD screen
- Weekly timer, frost protection and open window detection
- Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- ) ON/OFF switch and overheating protection



Open window detection



Weekly timer



### Unify warmth and serenity

Wall mounted rapid heater CK Premium

Heat has an even more relaxing effect if it doesn't cause any annoying noises. This direct heater works particularly quietly in silent mode, thanks to its special fan. We call it silent mode. At the same time, the heating output is so high that you can heat individual rooms quickly.

### The finishing touch to your interior

The appliance impresses with its efficient operation and offers you numerous comfort functions, such as a practical weekly timer. For heat that is almost completely automatic. And the high quality design ensures the heater is a stylish element of your interior décor.

### What convinces this product

- Wall mounted rapid heater ideal as a supplementary heater or interim heater in spring/autumn
- ) Quick room air heating
- High quality design with an aluminium front
- Operating controls with illuminated LCD screen
- Weekly timer, 120-minute timer, frost protection and open window detection
- > Silent mode with 1 kW base heating stage
- Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- ) ON/OFF switch and overheating protection







Weekly timer



Short-time timer





# Feel the warmth quickly

Rapid heater CK Plus



This rapid heater gives you uncomplicated warmth – fast. With its high heating output, it quickly brings your rooms up to temperature. Thanks to its discreet design, it blends in easily.

### A big impact that emerges quietly

The heater operates almost silently thanks to the integrated crossflow fan. So you'll be warm and cosy without any annoying noises.

- Wall mounted rapid heater ideal as a supplementary heater or interim heater in spring/autumn
- Very quick heating of rooms
- > Mechanical temperature controller
- ) Small footprint
- ) Ideal for the bathroom
- Classic design



### A strong performance from a compact appliance

Wall mounted rapid heater CK Trend LCD



If you need heat particularly quickly, this rapid heater is perfect for you. It produces your preferred temperature straight away and does not require much in return: a power socket is all that is needed to connect this electrical appliance.

### Effortless control and enjoyment

The heater is convenient to operate as the temperature controller is very easy to access. It is best to opt for the smallest version if installing the appliance in a particularly small recess.

### What convinces this product

- Wall mounted convector ideal as a supplementary heater or interim heater in spring/autumn
- > Very quick heating of rooms
- > Compact appliance in a plastic casing
- Operating controls with illuminated LCD screen
- Weekly timer, frost protection and open window detection
- Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- Maximum safety thanks to three-stage overheating protection



Open window



Weekly timer



### Make heating easier than ever before

Rapid heater CK Trend



This rapid heater generates the required heat directly. It not only saves on space but is also easy to use. One power outlet is all that this electrical appliance needs.

### **User friendly operation**

The temperature can be very easily regulated thanks to the convenient positioning of the controls. Furthermore, the appliance only needs a small space in which to get on with its task.

- Wall mounted rapid heater ideal as a supplementary heater or interim heater in spring/autumn
- ) Quick room air heating
- ) Mechanical temperature controller
- Maximum safety thanks to three-stage overheating protection
- > Small footprint
- ) Ideal for the bathroom



### Make truly flexible use of your heater

Infrared quartz radiant heater IW



Integrate heat flexibly into your everyday life with this quartz radiant heater. The appliance brings your room up to temperature quickly and precisely. You can feel its radiant heat almost as soon as you switch it.

### Don't restrict your heating to just one place

The heater is practical in your bathroom, for example, to give you a nice warm start to the day. And what about when you want to relax on the patio in the evening as the day draws to an end? Here, too, the quartz radiant heater is your ideal companion.

- Infrared quartz radiant heater with 1.2 kW heating output
- Pleasant radiant heat for indoors or protected outdoor areas
- Choice of three heating stages (0.4/0.8/1.2 kW)
- > Easy to adjust and operate
- > High quality metal casing



### The best solution for your project

Your desire for warmth is unique to you and should be as simple as possible to achieve. Our storage heaters are geared towards these needs. The intelligent C-Plus-Technology in these heaters continuously analyses your heat demand for the room and your personal heating pattern to automatically calculate how much heat you will need there the next day. All you have to do is sit back and enjoy the warmth.

### Storage heaters



	Page 18
Model	SHF
Туре	Compact
Installation: wall floorstanding	-  <b>=</b>
Connected load	2000-7000 W
Booster heater	0.35-1.5 kW
Fluff filter	•
Product class	Plus





## High on heat — low on space

Storage heater SHF 2000-7000

Despite its power, it has a modest appearance: this storage heater impresses with its high output when it comes to generating heat. However, this floorstanding model does not take up much space.

### Intelligent room temperature control

Another benefit for you is that the appliance can also store heat for extended periods. This means it can bridge even long breaks between charging without any difficulties. The integral controller makes light work of adjusting the room temperature. When you ventilate the room, the heater switches off automatically.

### What convinces this product

- Compact, floorstanding storage heater with a high heating output
- Intelligent automatic charging with C-Plus-Technology for convenient, energy efficient operation
- Integral room temperature controller with weekly timer and open window detection
- Easily accessible operating controls with illuminated LCD screen
- ) Long service life
- Extremely quiet operation due to low noise crossflow fan



Open window detection



Weekly timer



C-Plus-Technology

	CON 5 Premium	CON 10 Premium	CON 15 Premium	CON 20 Premium	CON 30 Premium
	237830	237831	237832	237833	237834
	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V
kW	0.5	1.0	1.5	2	3
	IP 24	IP 24	IP 24	IP 24	IP 24
mm	470	470	470	470	470
mm	345	470	625	780	1090
mm	126	126	126	126	126
kg	4.30	5.90	7.50	9.30	12.60
	alpine white	alpine white	alpine white	alpine white	alpine white
	<b>-</b> /-/-	<b>=</b> /-/-	<b>-/-</b>	<b>-/-</b>	<b>-/-</b>
	mm mm	237830 1/N/PE ~ 230 V 0.5 IP 24 mm 470 mm 345 mm 126 kg 4.30 alpine white	237830 237831  1/N/PE ~ 230 V 1/N/PE ~ 230 V  kW 0.5 1.0  IP 24 IP 24  mm 470 470  mm 345 470  mm 126 126  kg 4.30 5.90  alpine white alpine white	237830 237831 237832  1/N/PE ~ 230 V 1/N/PE ~ 230 V 1/N/PE ~ 230 V  kW 0.5 1.0 1.5  IP 24 IP 24 IP 24  mm 470 470 470  mm 345 470 625  mm 126 126 126  kg 4.30 5.90 7.50  alpine white alpine white	237830     237831     237832     237833       1/N/PE ~ 230 V     1/N/PE ~ 230 V     1/N/PE ~ 230 V     1/N/PE ~ 230 V       kW     0.5     1.0     1.5     2       IP 24     IP 24     IP 24     IP 24       mm     470     470     470       mm     345     470     625     780       mm     126     126     126     126       kg     4.30     5.90     7.50     9.30       alpine white     alpine white     alpine white     alpine white

		CNS 50 Trend M	CNS 100 Trend M	CNS 150 Trend M	CNS 200 Trend M	CNS 250 Trend M	CNS 300 Trend M
Part number		203638	203640	203641	203642	203643	203644
Power supply		1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V
Connected load	kW	0.5	1	1.5	2	2.5	3
IP rating		IP 24	IP 24	IP 24	IP 24	IP 24	IP 24
Height	mm	450	450	450	450	450	450
Width	mm	348	426	582	738	894	1050
Depth	mm	100	100	100	100	100	100
Weight	kg	4.00	4.60	6.00	7.70	9.10	10.50
Colour		alpine white	alpine white	alpine white	alpine white	alpine white	alpine white
Product class Premium/Plus/Trend		-/-/■	-/-/■	-/-/■	-/-/■	-/-/■	-/-/■

The CNS Trend M is only available for distribution outside the  $\ensuremath{\mathsf{EU}}$ 

	CWM 500 P	CWM 750 P	CWM 1000 P	CWM 1500 P	
Part number		200255	200256	200257	
	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	
kW	0.5	0.75	1.0	1.5	
	IP 24	IP 24	IP 24	IP 24	
mm	450	450	450	450	
mm	348	426	426	582	
mm	100	100	100	100	
kg	4.00	4.60	4.60	6.00	
	alpine white	alpine white	alpine white	alpine white	
	-/-/ <b>■</b>			-/-/■	
	mm mm	200254  1/N/PE ~ 230 V  0.5  IP 24  mm 450  mm 348  mm 100  kg 4.00  alpine white	200254 200255 1/N/PE ~ 230 V 1/N/PE ~ 230 V 0.75 IP 24	200254         200255         200256           1/N/PE ~ 230 V         1/N/PE ~ 230 V         1/N/PE ~ 230 V           kW         0.5         0.75         1.0           IP 24         IP 24         IP 24           mm         450         450         450           mm         348         426         426           mm         100         100         100           kg         4.00         4.60         4.60           alpine white         alpine white         alpine white	

CWM 2000 P	CWM 2500 P	CWM 3000 P	
200258	200259	200260	
1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	
kW 2.0	2.5	3.0	
IP 24	IP 24	IP 24	
mm 450	450	450	
mm 738	894	1050	
mm 100	100	100	
kg 7.70	9.20	10.90	
alpine white	alpine white	alpine white	
-/-/■	-/-/■	-/-/■	
	200258  1/N/PE ~ 230 V  kW 2.0  IP 24  mm 450  mm 738  mm 100  kg 7.70  alpine white	200258     200259       1/N/PE ~ 230 V     1/N/PE ~ 230 V       kW     2.0     2.5       IP 24     IP 24       mm     450     450       mm     738     894       mm     100     100       kg     7.70     9.20       alpine white     alpine white	

### Rapid heater product comparison

		CK 20 Premium
Part number		237835
Power supply		1/N/PE ~ 230 V
Connected load	kW	2
Sound pressure level	dB(A)	37/48
IP rating		IP 24
Height	mm	470
Width	mm	345
Depth	mm	126
Weight	kg	5.30
Colour		alpine white
Product class Premium/Plus/Trend		■/-/-

		CK 20 Plus
Part number		202127
Power supply		1/N/PE
Connected load	kW	2
Sound pressure level	dB(A)	48
IP rating		IP 24
Height	mm	470
Width	mm	345
Depth	mm	126
Weight	kg	5.30
Colour		alpine white
Product class Premium/Plus/Trend		-/=/-

The CK Plus is only available for distribution outside the EU

CK 20	Trend	LCD
	_	

Part number		236653
Power supply		1/N ~ 230 V
Connected load	kW	2
Sound pressure level	dB(A)	49
IP rating		IP 24
Height	mm	400
Width	mm	275
Depth	mm	131
Weight	kg	2.50
Colour		alpine white
Product class Premium/Plus/Trend		-/-/■

CK	20	Tren	Ч

Part number		234918		
Power supply		1/N ~ 230 V		
Connected load	kW	2		
Sound pressure level	dB(A)	49		
IP rating		IP 24		
Height	mm	400		
Width	mm	275		
Depth	mm	131		
Weight	kg	2.50		
Colour		alpine white		
Product class Premium/Plus/Trend		-/-/∎		

The CK Trend is only available for distribution outside the EU

### Small heater product comparison

	IW 120
Part number	229339
Power supply	1/N/PE ~ 230 V
Rated output k	V 1.2
Number of heating stages	3
IP rating	IPX4
Height m	m 145
Width	m 535
Depth m	m 85
Colour	silver
Installation type	Indoor/outdoor installation
Product class Premium/Plus/Trend	-/-/■

### Storage heater product comparison

		SHF 2000	SHF 3000	SHF 4000	SHF 5000	SHF 6000	SHF 7000
Part number		200175	200176	200177	200178	200179	200180
Power supply		1/N/PE, 3/N/PE					
Connected load from/to	kW	1,5-2,0	2,25-3	3-4	3,75-5	4,5-6	5,25-7
Operating noise	dB(A)	30	32	33	34	34	34
Height	mm	650	650	650	650	650	650
Width	mm	605	780	955	1130	1305	1480
Depth	mm	275	275	275	275	275	275
Weight (incl. bricks)	kg	116	169	220	266	316	373
Colour		alpine white					
Electric auxiliary heater	kW	0.35	0.50	0.80	1.00	1.20	1.50
Product class Premium/Plus/Trend		<b>-/</b> ■/-	-/ <b>=</b> /-	-/=/-	-/ <b>=</b> /-	-/=/-	-/ <b>=</b> /-

Depth including 30 mm clearance wall to grille Electric heater optional

### Sustainable comfort

Electricity is the future. With the development of green technologies, we advocate innovative, environmentally responsible and future proof building services — so that you can enjoy sustainable comfort at home. As a family business, we act for the future — yours and ours.



Since 1924, STIEBEL ELTRON has been synonymous with reliable solutions for domestic hot water, heating, ventilation and cooling. We maintain a clear focus in the energy debate: electricity, preferably harnessed from renewables, is the energy of the future. That is why we rely on approximately 5000 employees around the world for efficient heating solutions with green technologies.

From the design and manufacture of your appliance through to its maintenance, we systematically apply our expertise, strength of innovation and experience – gained from working with customers with high standards, such as yourself, and from the sale of more than two million appliances each year. We have the right solutions to meet every requirement. Solutions designed to raise the level of convenience in your home today and still be up to date tomorrow.

You can see first hand our commitment to green technology by visiting the Energy Campus at our head office in Holzminden, Germany. This training and communication centre is our flagship project for sustainable and resource-efficient construction. It combines the highest standards of architectural and communication quality. As a PlusEnergy building, it generates more energy than it consumes. Come and experience what our name stands for – in theory and practice.

### Partnership with vision

We are a premium and sustainability partner of the Bundesliga football team Borussia Dortmund. As a heating expert, we are supporting the BVB on its path to a CO<sub>3</sub>-free future.







www.stiebel-eltron.com/ about-stiebel-eltron

For new and interesting information on our products, visit www.stiebel-eltron.com or consult your local trade partner.



www.stiebel-eltron.com/ international-contacts





STIEBEL ELTRON International GmbH | Dr.-Stiebel-Straße 33 | 37603 Holzminden | Germany | www.stiebel-eltron.com Managing Director Dr. Kai Schiefelbein | VAT ID number DE811150571 | HRB 119307

Legal notice I In spite of our careful efforts, we are not liable for any inaccuracies in the content of this brochure. Information concerning equipment levels and specifications is subject to modification. The equipment features described in this brochure are non-binding regarding the specification of the final product. Due to our policy of ongoing improvement, some features may be changed or even removed. Please consult your local dealer for information about the very latest equipment features. The images in this brochure are for reference only. The illustrations also contain installation components, accessories and special equipment that do not form part of the standard delivery. Reprinting of all or part of this brochure is only lawful with the publisher's express permission.