

# Precise heat every day Elegant design in every room

Decentralised heating technology – a flexible solution for rapid heat, well designed in every detail





I feel the cold more than my husband. So it's handy if I can adjust the temperature of the room I'm currently in – without having to heat the entire house. This is perfectly straightforward and economical with our comfort heaters.

Comfort through technology

# Integrate warmth into your living environment

Our comfort heaters really live up to their name. These electric appliances deliver heat exactly where you require it, in next to no time. It's hard to imagine greater comfort than that. And since we understand the importance of design, these stylish heaters will also blend perfectly into your living environment.

## Good reasons to enjoy your home comforts

- › Well suited to rooms or buildings that require only temporary heating
- › Low installation costs as pipework is not necessary
- › Minimal circulation of dust, therefore suitable for allergy sufferers



**Natural stone heaters**

Our natural stone heaters are a sublime combination of natural materials and warmth. You will enjoy both their unique look and the pleasant level of heat that they emit for you.

**Bathroom radiators**

Developed specially for the bathroom, our bathroom radiators will rapidly heat this room of your house. And they will even dry your towels, or keep them pleasantly warm for you.

**Electric underfloor heating**


Warm floors increase your living comfort, especially in rooms where you often go barefoot. Electric underfloor heating can also be retrofitted thanks to the low installed height. It is therefore ideal even if you are modernising.

# Use comfort heaters as a flexible solution for rapid heat just where you need it

Imagine if you could have small amounts of heat whenever necessary throughout your day. That's exactly what you get with our comfort heaters. They respond much more quickly than most other heating systems and deliver the heat in more precise amounts as well. For example, the appliance heats your bathroom quickly in the morning, so you have a comfortable environment in which to get ready for your day. You make savings at the same time: not only are the costs of installing a comfort heater relatively low, but the running costs are moderate too, due to their high energy efficiency.

## Radiant heaters

---



<b>Model</b>
Connected load
Installation
Additional temperature controller required
Suitable for renovation and new build
Fully wired
Design versions
Product class

<b>Page 08</b>
<b>RH</b>
300-900 W
Vertical   horizontal
■
■
■
2
Premium

<sup>1)</sup> Can be combined.



## Bathroom radiators



**Page 10**

**BHE Plus**

500-1750 W

Vertical


■

■

1

Plus

## Electric underfloor heating



**Seite 12**

**FTM 160**

0.16/1.28 kW

In-floor

■

■

1

Plus

# Experience pleasant heat in a stylish design

## Radiant heater RH

The perfect amount of heat for you – this is what sets our radiant heaters apart. The heat is emitted from the appliance in a special way, which you will find very pleasant. At the same time, this heater will be a real design feature in your home, thanks to its slimline design and minimalist glass surface.

### Looks that speak for themselves

The appliance owes its visual appeal in part to the masking frame on the back. This conceals the wall mounting bracket and electrical connection after installation. All that remains is for you to choose between a white or black surface. Furthermore, when combined with our room temperature controllers, these heaters have no difficulty complying with the Ecodesign Directive.

### What convinces this product

- › Ideal as an interim heater in spring/autumn or as a booster heater
- › Pleasant radiant heat
- › Clean design with high quality glass surface
- › Can be installed vertically or horizontally



Fully wired







# Heat your bathroom the convenient way

## Bathroom radiator BHE Plus

These electric bathroom radiators supply you efficiently with the right amount of heat, just where you need it, all year round. Their blend of appealing design and functionality is a real winner. The operating controls are fitted at the perfect height for you to be able to adjust the temperature with ease.

### Multiple uses of warmth

Thanks to the slender round pipes and evenly distributed heat, you can hang your hand and bath towels on the radiator at several levels to dry or warm up. With their particular properties, the bathroom radiators in this series are ideal for use as booster heaters or interim heaters in spring/autumn.

### What convinces this product

- › Electric-only operation due to factory filling with heat transfer medium
- › Can also be connected to the hot water heating network
- › Premium design with round pipes
- › Operating controls with illuminated LCD screen
- › With variable temperature adjustment



Fully wired

# The perfectly sized supplement to your heating system

Electric underfloor heating FTM 160

Do you want to heat more conveniently? Then use these thin-bed heating mats to supplement your existing heating system. Thanks to their low installed height, they are straightforward for your installer to fit. Their high heating output warms the floor very quickly – so you don't have to wait long to feel the pleasant warmth underfoot.

## Convenient system combinations

The heating mats are suitable for new buildings as well as for modernisation projects. So no matter which heating system you have chosen, you can integrate these heating mats without any problems. They are also flexible when it comes to the floor surface. They can even be laid in the bathroom.

## What convinces this product

- › Suitable for all floor surfaces
- › High heating output for fast heat-up
- › Even temperature distribution across the floor
- › Particularly easy to design and install thanks to self-adhesive mesh fabric
- › Suitable for new build and modernisation thanks to low installed height


---

This product is also available as a set.









Our hobbies bring balance to everyday life and help us to relax. We want it to be nice and warm, even when we get creative on the spur of the moment. Our direct heater delivers heat quickly, which is just what we need.

Comfort through technology

# Choose direct heaters with reliable technology for clean heat generation

In the bathroom in the morning or in your recreational room for a few hours at the weekend – these occasions call for extra heat for a short time. The ideal solution here is an electric heater, which is particularly good at delivering precise amounts of heat. Since the appliances respond quickly, they make it easy and economical to provide heat accurately in specific rooms.

Direct heaters are especially suitable for rooms in your home that you rarely use or where there is no other form of heating. They are also ideal as booster heaters or interim heaters in colder seasons. Our appliances offer you a convenient and flexible way to create a pleasant room atmosphere. And if they are powered by green electricity, the heat they supply is also carbon neutral.

## Convectors



	Page 18	Page 20	Page 21
<b>Model</b>	<b>CON Premium</b>	<b>CNS Trend M</b>	<b>CWM P</b>
Thermal convection   with fan   radiant heating	■   -   -	■   -   -	■   -   -
Suitable for renovation and new build	■	■	■
Heating output	500-3000 W	500-3000 W	500-3000 W
Wall mounted: horizontal   vertical	■   -	■   -	■   -
Connection: plug-in   permanent connection   FIL-pilot	■   ■   ■	■   -   -	■   ■   -
IP rating	IP24	IP24	IP24
Protection class	I	II	I
Product class	Premium	Trend	Trend



Rapid heaters

Small heaters



<b>Page 22</b>
<b>CK Premium</b>
- ■ -
■
1000-2000 W
- ■
■    -
IP24
I
Premium



<b>Page 24</b>
<b>CK Trend</b>
- ■ -
■
2000 W
- ■
■    -
IP24
II
Trend



<b>Page 26</b>
<b>CK Trend LCD</b>
- ■ -
■
2000 W
- ■
■    -
IP24
II
Trend



<b>Page 27</b>
<b>IW</b>
-    ■
■
1200 W
■  -
- ■  -
IPX4
I
Trend



# Precision heating with style

Wall mounted convector CON Premium

With this direct heater, you enhance your room in two ways. The appliance not only provides pleasant warmth, but also blends in perfectly with your interior décor thanks to its high quality design. So you don't have to choose between warmth and style.

## Flexible heat control

The wall mounted convector also plays to its strengths when it comes to convenience. Use the weekly timer to set a precise temperature for several days, or adjust the temperature spontaneously at the touch of a button for anything from ten minutes to two hours. When you air the room, the appliance switches off automatically.

## What convinces this product

- › Wall mounted convector – ideal as an auxiliary heater or interim heater in spring/autumn
- › Even, quiet, air heating
- › High quality design with an aluminium front
- › Operating controls with illuminated LCD screen
- › Weekly timer, 120-minute timer, frost protection and open window detection
- › Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- › ON/OFF switch and overheating protection



Open window



Weekly timer



Short-time timer



Fully wired

# Convenient warmth exactly where you need it

Convactor CNS Trend M



Do you want pleasant temperatures in very specific places in your home? In addition to your central heating? Then this practical wall mounted convactor is the heater for you. Its slimline design makes it very easy to integrate.

#### Effective resistance to the cold

The slimline appliance is very robust and can therefore withstand even the chaos and commotion of everyday life. An integrated frost protection function precludes heating system failures due to low temperatures.

#### What convinces this product

- › Compact wall mounted convactor, ideal as an auxiliary heater or interim heater in spring/autumn
- › Extremely slimline design
- › Mechanical temperature controller
- › Safety through overheating protection
- › Robust design
- › Frost protection setting



Open window



Weekly timer



Fully wired

# Heat that works in your space

Convactor CWM P



Even in small or cramped rooms, you shouldn't have to miss out on cosy warmth. That's why this heater is so compact. With a depth of just 10 cm, it is particularly slender and therefore makes do with very little space. Nevertheless, the appliance offers you excellent thermal comfort.

#### Enjoy a wide range of benefits

Although the wall mounted convactor blends very discreetly into your room, it supplies heat efficiently. Useful features contribute to its efficiency: the weekly timer and open window detection make operation easier for you.

#### What convinces this product

- › Wall mounted convactor – ideal as a supplementary heater or interim heater in spring/autumn
- › Even, quiet, air heating
- › Metal casing and slimline design
- › Operating controls with illuminated LCD screen
- › Weekly timer, frost protection and open window detection
- › Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- › ON/OFF switch and overheating protection



Open window



Weekly timer



Fully wired

# Unify warmth and serenity

Wall mounted rapid heater CK Premium

Heat has an even more relaxing effect if it doesn't cause any annoying noises. This direct heater works particularly quietly in silent mode, thanks to its special fan. We call it silent mode. At the same time, the heating output is so high that you can heat individual rooms quickly.

#### The finishing touch to your interior

The appliance impresses with its efficient operation and offers you numerous comfort functions, such as a practical weekly timer. For heat that is almost completely automatic. And the high quality design ensures the heater is a stylish element of your interior décor.

#### What convinces this product

- › Wall mounted rapid heater – ideal as a supplementary heater or interim heater in spring/autumn
- › Quick room air heating
- › High quality design with an aluminium front
- › Operating controls with illuminated LCD screen
- › Weekly timer, 120-minute timer, frost protection and open window detection
- › Silent mode with 1 kW base heating stage
- › Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- › ON/OFF switch and overheating protection



Open window



Weekly timer



Short-time timer



Fully wired





# Plug and heat

Rapid heater CK Trend

This rapid heater generates the required heat directly. It not only saves on space but is also easy to use. One power outlet is all that this electrical appliance needs.

#### **User friendly operation**

The temperature can be very easily regulated thanks to the convenient positioning of the controls. Furthermore, the appliance only needs a small space in which to get on with its task.

#### **What convinces this product**

- › Wall mounted rapid heater – ideal as a supplementary heater or interim heater in spring/autumn
- › Quick room air heating
- › Maximum safety thanks to three-stage overheating protection
- › Small footprint
- › Ideal for the bathroom



---

Fully wired

# A strong performance from a compact appliance

Wall mounted rapid heater CK Trend LCD



If you need heat particularly quickly, this rapid heater is perfect for you. It produces your preferred temperature straight away and does not require much in return: a power socket is all that is needed to connect this electrical appliance.

#### Effortless control and enjoyment

The heater is convenient to operate as the temperature controller is very easy to access. It is best to opt for the smallest version if installing the appliance in a particularly small recess.

#### What convinces this product

- › Wall mounted convector – ideal as a supplementary heater or interim heater in spring/autumn
- › Very quick heating of rooms
- › Compact appliance in a plastic casing
- › Operating controls with illuminated LCD screen
- › Weekly timer, frost protection and open window detection
- › Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- › Maximum safety thanks to three-stage overheating protection



Open window



Weekly timer

# Make truly flexible use of your heater

Infrared quartz radiant heater IW



Integrate heat flexibly into your everyday life with this quartz radiant heater. The appliance brings your room up to temperature quickly and precisely. You can feel its radiant heat almost as soon as you switch it on.

#### **Don't restrict your heating to just one place**

The heater is practical in your bathroom, for example, to give you a nice warm start to the day. And what about when you want to relax on the patio in the evening as the day draws to an end? Here, too, the quartz radiant heater is your ideal companion.

#### **What convinces this product**

- › Infrared quartz radiant heater with 1.2 kW heating output
- › Pleasant radiant heat for indoors or protected outdoor areas
- › Choice of three heating stages (0.4/0.8/1.2 kW)
- › Easy to adjust and operate
- › High quality metal casing

Being able to relax at home is important to us, especially after a hard day at work. Pleasant warmth helps us to do this. Our storage heater adjusts to suit our needs exactly and is really economical too.

Comfort through technology



# Discover storage heaters with a proven track record in technology and optimised efficiency

Your desire for warmth is unique to you and should be as simple as possible to achieve. Our storage heaters are geared towards these needs. The intelligent C-Plus-Technology in these heaters continuously analyses your heat demand for the room and your personal heating pattern to automatically calculate how much heat you will need there the next day. All you have to do is sit back and enjoy the warmth.

## Storage heaters

---



<b>Model</b>	<b>Page 30</b>
Type	SHF
Installation: wall   floorstanding	Compact
Connected load	-   ■
Booster heater	2000-7000 W
Fluff filter	0.35-1.5 kW
Product class	■
	Plus



# High on heat – Low on space

Storage heater SHF 2000-7000

Despite its power, it has a modest appearance: this storage heater impresses with its high output when it comes to generating heat. However, this floorstanding model does not take up much space.

#### Intelligent room temperature control

Another benefit for you is that the appliance can also store heat for extended periods. This means it can bridge even long breaks between charging without any difficulties. The integral controller makes light work of adjusting the room temperature. When you ventilate the room, the heater switches off automatically.

#### What convinces this product

- › Compact, floorstanding storage heater with a high heating output
- › Intelligent automatic charging with C-Plus Technology for convenient, energy efficient operation
- › Integral room temperature controller with weekly timer and open window detection
- › Easily accessible operating controls with illuminated LCD screen
- › Long service life
- › Extremely quiet operation due to low noise crossflow fan



Open window



Weekly timer



C-Plus-  
Technology

# Customise your equipment to suit your requirements

With our extensive range of accessories, you can tailor your level of comfort to suit your requirements. Regardless of whether you are using individual appliances or complex systems – we can supply you with everything from one source. All our components are perfectly matched to each other so that you can continue to enjoy your STIEBEL ELTRON products for many years to come.

## Electronic room temperature controller

---



- › Electronic room temperature controller (RTU-TC)
- › With electronic room temperature control, day of week control and adaptive control of the start of heating
- › With large LCD
- › Complies with the Ecodesign Directive in combination with natural stone and radiant heaters<sup>1)</sup>

## Wireless room temperature controller

---



- › Digital wireless room temperature controller (SRC C)
- › Simplifies retrofitting
- › No complex wiring
- › Temperature is captured where it is needed
- › Complies with the Ecodesign Directive<sup>1)</sup>

## Electronic floor temperature controller

---



- › Electronic floor temperature controller (RTF Trend)
- › With large, illuminated LCD screen to show operating parameters
- › Equipped with floor temperature sensor
- › Integral room temperature controller with weekly timer and open window detection
- › Equipped with on/off switch and protective flap
- › Suitable for all thin-bed heating mats

## Electronic floor temperature controller

---



- › Electronic floor temperature controller (RTF-TC)
- › Colour display with touch control
- › Weekly timer with self-learning function
- › Window open detection
- › The weekly time switch can be programmed to individual requirements

<sup>1)</sup>Due to the requirements of the Ecodesign Directive, the product must only be operated with controllers that have electronic room temperature control, day of week control and adaptive control of the start of heating, e.g. RTU-TC and SRC C digital.

## Radiant heater product comparison

	<b>RHB 500</b>	<b>RHB 900</b>	<b>RHW 500</b>	<b>RHW 900</b>
<b>Part number</b>	<b>234423</b>	<b>234425</b>	<b>234427</b>	<b>234429</b>
Design	Glass front	Glass front	Glass front	Glass front
Power supply	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V
Connected load	kW 0,47	0,85	0,47	0,85
IP rating	IP 24	IP 24	IP 24	IP 24
Height	mm 600	600	600	600
Width	mm 1000	1800	1000	1800
Depth	mm 49	49	49	49
Weight	kg 12.90	23.40	12.90	23.40
Colour	black	black	white	white
Product class Premium/Plus/Trend	■/-/-	■/-/-	■/-/-	■/-/-

## Bathroom radiator product comparison

	<b>BHE 50 Plus</b>	<b>BHE 75 Plus</b>	<b>BHE 100 Plus</b>	<b>BHE 175 T Plus</b>
<b>Part number</b>	<b>239141</b>	<b>238713</b>	<b>238714</b>	<b>238715</b>
Power supply	1/N ~ 230 V	1/N ~ 230 V	1/N ~ 230 V	1/N ~ 230 V
Connected load	W 500	750	1000	1750
Heating output to EN 442 (75/65 - 20 °C)	W 367	571	876	571
Number of ribs	20	30	37	30
Height	mm 1090	1590	1830	1590
Width	mm 500	500	550	500
Depth	mm 117	117	117	130
Weight	kg 12.00	19.00	23.00	20.00
Colour	traffic white, RAL 9016	traffic white, RAL 9016	traffic white, RAL 9016	traffic white, RAL 9016
Product class Premium/Plus/Trend	-/■/-	-/■/-	-/■/-	-/■/-

## Electric underfloor heating product comparison

	<b>FTM 160/1</b>	<b>FTM 160/1.5</b>	<b>FTM 160/2</b>	<b>FTM 160/2.5</b>	<b>FTM 160/3</b>
<b>Part number</b>	<b>205673</b>	<b>205674</b>	<b>205675</b>	<b>205676</b>	<b>205677</b>
Area-specific output	W/m <sup>2</sup> 160	160	160	160	160
IP rating	IP X7	IP X7	IP X7	IP X7	IP X7
Surface area	m <sup>2</sup> 1.00	1.50	2.00	2.50	3.00
Length	m 2	3	4	5	6
Width	mm 500	500	500	500	500
Product class Premium/Plus/Trend	-/■/-	-/■/-	-/■/-	-/■/-	-/■/-

	<b>FTM 160/4</b>	<b>FTM 160/5</b>	<b>FTM 160/6</b>	<b>FTM 160/7</b>	<b>FTM 160/8</b>
<b>Part number</b>	<b>205678</b>	<b>205679</b>	<b>205680</b>	<b>205681</b>	<b>205682</b>
Area-specific output	W/m <sup>2</sup> 160	160	160	160	160
IP rating	IP X7	IP X7	IP X7	IP X7	IP X7
Surface area	m <sup>2</sup> 4.00	5.00	6.00	7.00	8.00
Length	m 8	10	12	14	16
Width	mm 500	500	500	500	500
Product class Premium/Plus/Trend	-/■/-	-/■/-	-/■/-	-/■/-	-/■/-

## Convector product comparison

		CON 5 Premium	CON 10 Premium	CON 15 Premium	CON 20 Premium	CON 30 Premium
<b>Part number</b>		<b>237830</b>	<b>237831</b>	<b>237832</b>	<b>237833</b>	<b>237834</b>
Power supply		1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V
Connected load	kW	0.5	1.0	1.5	2	3
IP rating		IP 24	IP 24	IP 24	IP 24	IP 24
Height	mm	470	470	470	470	470
Width	mm	345	470	625	780	1090
Depth	mm	126	126	126	126	126
Weight	kg	4.30	5.90	7.50	9.30	12.60
Colour		alpine white	alpine white	alpine white	alpine white	alpine white
Product class Premium/Plus/Trend		■/-/-	■/-/-	■/-/-	■/-/-	■/-/-

		CNS 50 Trend M	CNS 100 Trend M	CNS 150 Trend M	CNS 200 Trend M	CNS 250 Trend M	CNS 300 Trend M
<b>Part number</b>		<b>203638</b>	<b>203640</b>	<b>203641</b>	<b>203642</b>	<b>203643</b>	<b>203644</b>
Power supply		1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V
Connected load	kW	0.5	1	1.5	2	2.5	3
IP rating		IP 24	IP 24	IP 24	IP 24	IP 24	IP 24
Height	mm	450	450	450	450	450	450
Width	mm	348	426	582	738	894	1050
Depth	mm	100	100	100	100	100	100
Weight	kg	4.00	4.60	6.00	7.70	9.10	10.50
Colour		alpine white	alpine white	alpine white	alpine white	alpine white	alpine white
Product class Premium/Plus/Trend		-/-/■	-/-/■	-/-/■	-/-/■	-/-/■	-/-/■

		CWM 500 P	CWM 750 P	CWM 1000 P	CWM 1500 P
<b>Part number</b>		<b>200254</b>	<b>200255</b>	<b>200256</b>	<b>200257</b>
Power supply		1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V
Connected load	kW	0.5	0.75	1.0	1.5
IP rating		IP 24	IP 24	IP 24	IP 24
Height	mm	450	450	450	450
Width	mm	348	426	426	582
Depth	mm	100	100	100	100
Weight	kg	4.00	4.60	4.60	6.00
Colour		alpine white	alpine white	alpine white	alpine white
Product class Premium/Plus/Trend		-/-/■	-/-/■	-/-/■	-/-/■

		CWM 2000 P	CWM 2500 P	CWM 3000 P
<b>Part number</b>		<b>200258</b>	<b>200259</b>	<b>200260</b>
Power supply		1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V
Connected load	kW	2.0	2.5	3.0
IP rating		IP 24	IP 24	IP 24
Height	mm	450	450	450
Width	mm	738	894	1050
Depth	mm	100	100	100
Weight	kg	7.70	9.20	10.90
Colour		alpine white	alpine white	alpine white
Product class Premium/Plus/Trend		-/-/■	-/-/■	-/-/■

## Rapid heater product comparison

		<b>CK 20 Premium</b>
<b>Part number</b>		<b>237835</b>
Power supply		1/N/PE ~ 230 V
Connected load	kW	2
Sound pressure level	dB(A)	37/48
IP rating		IP 24
Height	mm	470
Width	mm	345
Depth	mm	126
Weight	kg	5.30
Colour		alpine white
Product class Premium/Plus/Trend		■/-/-

		<b>CK 20 Trend</b>
<b>Part number</b>		<b>234918</b>
Power supply		1/N ~ 230 V
Connected load	kW	2
Sound pressure level	dB(A)	49
IP rating		IP 24
Height	mm	400
Width	mm	275
Depth	mm	131
Weight	kg	2.50
Colour		alpine white
Product class Premium/Plus/Trend		-/-/■

The CK Trend is only available for distribution outside the EU

		<b>CK 20 trend LCD</b>
<b>Part number</b>		<b>236653</b>
Power supply		1/N ~ 230 V
Connected load	kW	2
Sound pressure level	dB(A)	49
IP rating		IP 24
Height	mm	400
Width	mm	275
Depth	mm	131
Weight	kg	2.50
Colour		alpine white
Product class Premium/Plus/Trend		-/-/■



# Sustainable comfort

Clean electricity is the future. That's why we focus worldwide on electricity-based and highly efficient green tech solutions for hot water, heating, ventilation and cooling – so that you can enjoy sustainable comfort at home. As a family business, we act for the future – yours and ours.



At STIEBEL ELTRON, we offer highly efficient products and services for heating, cooling, ventilation and hot water in buildings. We maintain a clear focus and promote the energy transition: renewable electricity is the driving force behind our products. With more than 6000 employees, we are committed to innovation and always strive for better solutions.

From design and manufacture through to servicing your appliance, we systematically apply our experience from 100 years of hot water heating, almost 50 years of heat pump engineering and 30 years of ventilation technology to offer you futureproof systems. Our goal is to deliver greater convenience and benefits in all our homes!

You can see first hand our commitment to green technology by visiting the Energy Campus at our head office in Holzminden, Germany. This training and communication centre is our flagship project for sustainable and resource-efficient construction. It combines the highest standards of architectural and communication quality. As a PlusEnergy building, it generates more energy than it consumes. Come and experience what our name stands for – in theory and practice.

**100YRS**  
1924-2024



[www.stiebel-eltron.com/  
about-stiebel-eltron](http://www.stiebel-eltron.com/about-stiebel-eltron)

For new and interesting information on our products, visit [www.stiebel-eltron.com](http://www.stiebel-eltron.com) or consult your local trade partner.



[www.stiebel-eltron.com/  
international-offices](http://www.stiebel-eltron.com/international-offices)

**STIEBEL ELTRON International GmbH | Dr.-Stiebel-Straße 33 | 37603 Holzminden | Germany | [www.stiebel-eltron.com](http://www.stiebel-eltron.com)**

**Legal notice** | In spite of our careful efforts, we are not liable for any inaccuracies in the content of this brochure. Information concerning equipment levels and specifications is subject to modification. The equipment features described in this brochure are non-binding regarding the specification of the final product. Due to our policy of ongoing improvement, some features may be changed or even removed. Please consult your local dealer for information about the very latest equipment features. The images in this brochure are for reference only. The illustrations also contain installation components, accessories and special equipment that do not form part of the standard delivery. Reprinting of all or part of this brochure is only lawful with the publisher's express permission.