


Heat in an instant Comfort on the spot

Direct heaters with classic technology for clean heat generation





Our hobbies bring balance to everyday life and help us to relax. We want it to be nice and warm, even when we get creative on the spur of the moment. Our direct heater delivers heat quickly, which is just what we need.

Comfort through technology

Giving the future a green light

Renewables help to determine where our energy will come from in the future. More and more people are recognising the benefits of green electricity for their homes. We too see electricity as the energy source of the future.

Turning the tide ourselves

Power companies, politicians and society have been seeking viable alternatives to fossil fuels for a long time. Fossil fuels are exhaustible resources that pollute the environment. So why not simply tap into the heat contained in the sun, air, water and ground, and put it to use in your home?

You are bound to have some concerns about the energy efficiency of your house. Perhaps you would like to change to a futureproof energy supply. The largest energy consumer is your heating system: almost 80 % of the energy you consume goes into heating and hot water. There is therefore great potential for an energy transition in your home.



Find the best solution for your project

In the bathroom in the morning or in your recreational room for a few hours at the weekend – these occasions call for extra heat for a short time. The ideal solution here is an electric heater, which is particularly good at delivering precise amounts of heat. Since the appliances respond quickly, they make it easy and economical to provide heat accurately in specific rooms.

Direct heaters are especially suitable for rooms in your home that you rarely use or where there is no other form of heating. They are also ideal as booster heaters or interim heaters in spring/autumn. Our appliances offer you a convenient and flexible way to create a pleasant room atmosphere. And as they are powered by green electricity, the heat they supply is also carbon neutral.

Convectors



	Page 06	Page 08	Page 10	Page 11
Model	CND	CON Premium	CNS F	CNS Trend M
Thermal convection with fan radiant heating	■ - ■	■ - -	■ - -	■ - -
Suitable for renovation and new build	■	■	■	■
Heating output	750-2000 W	500-3000 W	1000-2500 W	1000-3000 W
Wall mounted: horizontal vertical	■ -	■ -		■ -
Connection: plug-in permanent connection FIL-pilot	- ■ ■	■ ■ ■	■ - -	■ - -
IP rating	IP24	IP24	IP24	IP24
Protection class	II	I	II	II
Product class	Premium	Premium	Plus	Trend



Rapid heaters

Small heaters



Page 12

CWM

■|-|-

■

500-3000 W

■|-

■|■|■

IP24

I

Trend



Page 14

CK Premium

-|■|-

■

1000-2000 W

-|■

■|-|-

IP24

I

Premium



Page 16

CK Plus

-|■|-

■

2000 W

-|■

■|-|-

IP24

I

Plus



Page 17

CK Trend LCD

-|■|-

■

2000 W

-|■

■|-|-

IP24

II

Trend



Page 18

CK Trend

-|■|-

■

2000 W

-|■

■|-|-

IP24

II

Trend



Page 19

IW

-|-|■

■

1200 W

■|-

-|■|-

IPX4

I

Trend

Treat yourself to warmth twice over

CND direct heater

With this product, the warmth reaches you in more ways than one. Since two heating systems are integrated in this direct heater, it not only radiates cosy warmth, but also transmits it via the indoor air. As a result, you enjoy a pleasant and comfortable room temperature. The appliance's elegant design ensures that it blends in perfectly with your living environment.

Convenient energy savings

Easily set your preferred temperature on the appliance and benefit from greater savings: the wall mounted duo convector automatically lowers the temperature when you leave the room. If you open the windows to let fresh air in, the heater switches off automatically.

Top product features

- › Wall mounted duo convector, ideal as a booster heater or interim heater in spring/autumn
- › Even, pleasant room air heating
- › Modern and high grade design
- › Operating controls with backlit LCD
- › Weekly timer, frost protection and open window detection
- › Electronic control unit with presence detection
- › ON/OFF switch and overheating protection
- › Permanent connection with FIL control core



Open window detection



Weekly timer







Precision heating with style

CON Premium direct heater

With this direct heater, you enhance your room in two ways. The appliance not only provides pleasant warmth, but also blends in perfectly with your interior decor thanks to its high quality design. So you don't have to choose between warmth and style.

Flexible heat control

The wall mounted convector also plays to its strengths when it comes to convenience. Use the weekly timer to set a precise temperature for several days, or adjust the temperature spontaneously at the touch of a button for anything from ten minutes to two hours. When you air the room, the appliance switches off automatically.

Top product features

- › Wall mounted convector, ideal as a booster heater or interim heater in spring/autumn
- › Even, quiet room air heating
- › High quality design with an aluminium front
- › Operating controls with backlit LCD
- › Weekly timer, 120-minute timer, frost protection and open window detection
- › Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- › ON/OFF switch and overheating protection



Open window detection



Weekly timer



Short-time timer

Comfortable temperatures that revolve around you

CNS F direct heater



If you want warmth to follow wherever you go, this heater is the perfect solution. Thanks to its compact design and practical castors, you can use this freestanding convector wherever you need it. It is protected against overturning to ensure safety during operation.

Convenient control of thermal comfort

The adaptability of the heater is matched by its impressive efficiency. A further plus point is ease of operation: you set the required room temperature via a variable mechanical controller.

Top product features

- › Mobile freestanding convector, ideal as a booster heater or interim heater in spring/autumn
- › Mechanical temperature controller
- › Castors for flexible positioning
- › Maximum operational safety thanks to protection against overturning
- › Robust design
- › Frost protection setting

Convenient warmth exactly where you need it

CNS Trend M direct heater



Do you want pleasant temperatures in very specific places in your home? In addition to your central heating? Then this practical wall mounted convector is the heater for you. Its slimline design makes it very easy to integrate.

Effective resistance to the cold

The slimline appliance is very robust and can therefore withstand even the chaos and commotion of everyday life. An integrated frost protection function precludes heating system failures due to low temperatures.

Top product features

- › Compact wall mounted convector, ideal as a booster heater or interim heater in spring/autumn
- › Extremely slimline design
- › Mechanical temperature controller
- › Safety through overheating protection
- › Robust design
- › Frost protection setting

Heat that works in your space

CWM direct heater

Even in small or cramped rooms, you shouldn't have to miss out on cosy warmth. That's why this heater is so compact. With a depth of just 10 cm, it is particularly slender and therefore makes do with very little space. Nevertheless, the appliance offers you excellent thermal comfort.

Enjoy a wide range of benefits

Although the wall mounted convector blends very discreetly into your room, it supplies heat efficiently. Its high quality features contribute to this: the weekly timer and open window detection make operation easier for you.

Top product features

- › Wall mounted convector, ideal as a booster heater or interim heater in spring/autumn
- › Even, quiet room air heating
- › Metal casing and slimline design
- › Operating controls with backlit LCD
- › Weekly timer, frost protection and open window detection
- › Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- › ON/OFF switch and overheating protection



Open window
detection



Weekly timer





Unify warmth and serenity

CK Premium direct heater

Heat has an even more relaxing effect if it doesn't cause any annoying noises. This direct heater works particularly quietly in "silent mode" thanks to its special fan. At the same time, the heating output is so high that you can heat individual rooms quickly.

The finishing touch to your interior

The appliance impresses with its efficient operation and offers you numerous comfort functions, such as a practical weekly timer. For heat that is almost completely automatic. And the high quality design ensures the heater is a stylish element of your interior decor.

Top product features

- › Wall mounted rapid heater, ideal as a booster heater or interim heater in spring/autumn
- › Quick room air heating
- › High quality design with an aluminium front
- › Operating controls with backlit LCD
- › Weekly timer, 120-minute timer, frost protection and open window detection
- › "Silent mode" with 1 kW base heating stage
- › Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- › ON/OFF switch and overheating protection



Open window detection



Weekly timer



Short-time timer

Feel the warmth quickly

CK Plus direct heater



This rapid heater gives you uncomplicated warmth – fast. With its high heating output, it quickly brings your rooms up to temperature. Thanks to its discreet design, it blends in easily.

A big impact that emerges quietly

The heater operates almost silently thanks to the integrated crossflow fan. So you'll be warm and cosy without any annoying noises.

Top product features

- › Wall mounted rapid heater, ideal as a booster heater or interim heater in spring/autumn
- › Very quick heating of rooms
- › Mechanical temperature controller
- › Small footprint
- › Ideal for the bathroom
- › Classic design

A strong performance from a compact appliance

CK Trend LCD direct heater



If you need heat particularly quickly, this rapid heater is perfect for you. It produces your preferred temperature straight away and does not require much in return: a power socket is all that is needed to connect this electrical appliance.

Effortless control and enjoyment

The heater is convenient to operate as the temperature controller is very easy to access. It is best to opt for the smallest version if installing the appliance in a particularly small recess.

Top product features

- › Wall mounted convector, ideal as a booster heater or interim heater in spring/autumn
- › Very quick heating of rooms
- › Compact appliance in a plastic casing
- › Operating controls with backlit LCD
- › Weekly timer, frost protection and open window detection
- › Control unit with self-learning capability: automatic calculation of the preheat time in timer mode
- › Maximum safety thanks to three-stage overheating protection



Open window
detection



Weekly timer

Make heating easier than ever before

CK Trend direct heater



Feeling cold in your own home is no longer an issue with this rapid heater. You can mount the space saving appliance on the wall – even a small recess is sufficient. Operation is uncomplicated as only a power socket is required.

Easy to operate and enjoy

The selector for adjusting the temperature is at an ideal height so that you can easily operate the rapid heater. It couldn't be simpler for warmth to reach you.

Top product features

- › Wall mounted rapid heater, ideal as a booster heater or interim heater in spring/autumn
- › Quick room air heating
- › Mechanical temperature controller
- › Maximum safety thanks to three-stage overheating protection
- › Small footprint
- › Ideal for the bathroom

Make truly flexible use of your heater

IW direct heater



Integrate heat flexibly into your everyday life with this quartz radiant heater. The appliance brings your room up to temperature quickly and precisely. You can feel its radiant heat almost as soon as you switch it on.

Don't restrict your heating to just one place

The heater is practical in your bathroom, for example, to give you a nice warm start to the day. And what about when you want to relax on the patio in the evening as the day draws to an end? Here, too, the quartz radiant heater is your ideal companion.

Top product features

- › Infrared quartz radiant heater with 1.2 kW heating output
- › Pleasant radiant heat for indoors or protected outdoor areas
- › Choice of three heating stages (0.4/0.8/1.2 kW)
- › Straightforward operation and adjustment
- › High quality metal casing

Convector product comparison

Model		CND 75	CND 100	CND 150	CND 200
Product number		234813	234814	234815	234816
Connected load	W	750	1000	1500	2000
Power connection		1/N~230 V	1/N~230 V	1/N~230 V	1/N~230 V
Frequency	Hz	50/-	50/-	50/-	50/-
Height/Width/Depth	mm	504/675/120	504/790/120	504/1010/120	504/1240/120
Weight	kg	6.7	7.7	9.7	11.5
IP-Rating		IP24	IP24	IP24	IP24
Colour		white	white	white	white
Product class Premium/Plus/Trend		■/-/-	■/-/-	■/-/-	■/-/-

Model		CON 5 Premium	CON 10 Premium	CON 15 Premium	CON 20 Premium	CON 30 Premium
Product number		237830	237831	237832	237833	237834
Connected load	W	500	1000	1500	2000	3000
Power connection		1/N/PE~230 V	1/N/PE~230 V	1/N/PE~230 V	1/N/PE~230 V	1/N/PE~230 V
Frequency	Hz	50/-	50/-	50/-	50/-	50/-
Height/Width/Depth	mm	470/345/126	470/470/126	470/625/126	470/780/126	470/1090/126
Weight	kg	4.3	5.9	7.5	9.3	12.6
IP-Rating		IP24	IP24	IP24	IP24	IP24
Colour		alpine white	alpine white	alpine white	alpine white	alpine white
Product class Premium/Plus/Trend		■/-/-	■/-/-	■/-/-	■/-/-	■/-/-

Model		CNS 100 F	CNS 200 F	CNS 250 F
Product number		229790	229794	229795
Connected load	W	1000	2000	2500
Power connection		1/N~230 V	1/N~230 V	1/N~230 V
Frequency	Hz	50/60	50/60	50/60
Height/Width/Depth	mm	555/445/305	555/740/305	555/890/305
Weight	kg	4.9	7.3	8.6
IP-Rating		IP24	IP24	IP24
Colour		alpine white	alpine white	alpine white
Product class Premium/Plus/Trend		-/■/-	-/■/-	-/■/-

Note: The CNS F is only suitable for well insulated rooms or for occasional use!

Modell		CNS 50 Trend M	CNS 100 Trend M	CNS 150 Trend M	CNS 200 Trend M	CNS 250 Trend M	CNS 300 Trend M
Product number		203638	203640	203641	203642	203643	203644
Connected load	W	1000	2000	3000	3000	3000	3000
Power connection		1/N~230 V	1/N~230 V	1/N~230 V	1/N~230 V	1/N~230 V	1/N~230 V
Frequency	Hz	50/60	50/60	50/60	50/60	50/60	50/60
Height/Width/Depth	mm	450/445/100	450/740/100	450/1040/100	450/1040/100	450/1040/100	450/1040/100
Weight	kg	4.4	6.8	9.4	9.4	9.4	9.4
IP-Rating		IP24	IP24	IP24	IP24	IP24	IP24
Colour		alpine white	alpine white	alpine white	alpine white	alpine white	alpine white
Product class Premium/Plus/Trend		-/-/■	-/-/■	-/-/■	-/-/■	-/-/■	-/-/■

The CNS Trend M is only available for distribution outside the EU

Convector product comparison

Model		CWM 500 P	CWM 750 P	CWM 1000 P	CWM 1500 P	CWM 2000 P	CWM 2500 P	CWM 3000 P
Product number		200254	200255	200256	200257	200258	200259	200260
Connected load	W	500	750	1000	1500	2000	2500	3000
Power connection		1/N/PE~230 V						
Height/Width/Depth	mm	450/348/100	450/426/100	450/426/100	450/582/100	450/738/100	450/894/100	450/1050/100
Weight	kg	4	4.6	4.6	6	7.7	9.2	10.9
IP-Rating		IP24						
Colour		alpine white						
Product class Premium/Plus/Trend		-/-/■	-/-/■	-/-/■	-/-/■	-/-/■	-/-/■	-/-/■

Model		CWM 500 U	CWM 750 U	CWM 1000 U	CWM 1500 U	CWM 2000 U	CWM 2500 U	CWM 3000 U
Product number		200261	200262	200263	200264	200265	200266	200267
Connected load	W	500	750	1000	1500	2000	2500	3000
Power connection		1/N/PE~230 V						
Height/Width/Depth	mm	450/348/100	450/426/100	450/426/100	450/582/100	450/738/100	450/894/100	450/1050/100
Weight	kg	4	4.6	4.6	6	7.7	9.2	10.9
IP-Rating		IP24						
Colour		alpine white						
Product class Premium/Plus/Trend		-/-/■	-/-/■	-/-/■	-/-/■	-/-/■	-/-/■	-/-/■

Rapid heater product comparison

Model		CK 20 Premium
Product number		237835
Connected load	W	2000
Power connection		1/N/PE~230 V
Frequency	Hz	50/-
Height/Width/Depth	mm	470/345/126
Weight	kg	5.3
IP-Rating		IP24
Colour		alpine white
Product class Premium/Plus/Trend		■/-/-

Model		CK 20 Plus
Product number		202127
Connected load	W	2000
Power connection		1/N/PE~230 V
Height/Width/Depth	mm	470/345/126
Weight	kg	5.3
IP-Rating		IP24
Colour		alpine white
Product class Premium/Plus/Trend		-/■/-

The CK Plus is only available for distribution outside the EU

Rapid heater product comparison

Model		CK 20 Trend LCD
Product number		236653
Connected load	W	2000
Power connection		1/N~230 V
Frequency	Hz	50/-
Height/Width/Depth	mm	400/275/131
Weight	kg	2.5
IP-Rating		IP24
Colour		alpine white
Product class Premium/Plus/Trend		-/-/■

Model		CK 20 Trend
Product number		234918
Connected load	W	2000
Power connection		1/N~230 V
Height/Width/Depth	mm	400/275/131
Weight	kg	2.5
IP-Rating		IP24
Colour		alpine white
Product class Premium/Plus/Trend		-/-/■

The CK Trend is only available for distribution outside the EU

Small heater product comparison

Model		IW 120
Product number		229339
Connected load	W	1200
Power connection		1/N/PE~230 V
Frequency	Hz	50/60
Height/Width/Depth	mm	145/535/85
Weight	kg	1.55
IP-Rating		IPX4
Colour		silver
Product class Premium/Plus/Trend		-/-/■

Note: Exclusively for distribution outside the EU.

Recharge your energy with ours

We need energy to live. As a family business, we endeavour to ensure that energy will still be available in tomorrow's world. That is why we advocate environmentally responsible and efficient building services that safeguard investment. We act for the future – yours and ours.

Since 1924, STIEBEL ELTRON has been synonymous with reliable solutions for domestic hot water, heating, ventilation and cooling. We maintain a clear focus in the energy debate: electricity, preferably harnessed from renewables, is the energy of the future. That is why we rely on approximately 3900 employees around the world for efficient heating solutions with green technologies.

From the design and manufacture of your appliance through to its maintenance, we systematically apply our expertise, strength of innovation and experience – gained from working with customers with high standards, such as yourself, and from the sale of more than two million appliances each year. We have

the right solution to meet any requirement. Solutions designed to raise the level of convenience in your home today and still be up to date tomorrow.

You can see first hand our commitment to green technology by visiting the Energy Campus at our head office in Holzminden, Germany. This training and communication centre is our flagship project for sustainable and resource-efficient construction. It combines the highest standards of architectural and communication quality. As a PlusEnergy building, it generates more energy than it consumes. Come and experience what our name stands for – in theory and practice.



Your local trade partner:



For new and interesting information on our products, visit
www.stiebel-eltron.com or consult your local trade partner.

STIEBEL ELTRON International GmbH | Dr.-Stiebel-Strasse 33 | 37603 Holzminden | Germany
info@stiebel-eltron.com | www.stiebel-eltron.com
Managing director: Dr. Nicholas Matten | VAT no. DE811150571 | HRB 119307

Legal notice | In spite of our careful efforts, we are not liable for any inaccuracies in the content of this brochure. Information concerning equipment levels and specifications is subject to modification. The equipment features described in this brochure are non-binding regarding the specification of the final product. Due to our policy of ongoing improvement, some features may be changed or even removed. Please consult your local dealer for information about the very latest equipment features. The images in this brochure are for reference only. The illustrations also contain installation components, accessories and special equipment that do not form part of the standard delivery. Reprinting of all or part of this brochure is only lawful with the publisher's express permission.