


RTA-S UP

TEMPERATURE CONTROLLER

PRODUCT-NO.: 223344

The RTA-S UP is fitted with an ON/OFF switch and offers the option of an additional temperature setback via an external switch or time switch. That way, energy and associated costs can be saved at times of low heat demand. The room temperature can be variably selected between 5 °C and 30 °C. The RTA-S UP is equipped with a thermal feedback and ensures a constant room temperature thanks to its narrow switching differential of +/- 0.5 K.



The main features

Electronic room temperature controller for installation on unfinished walls

Optional integration into underfloor heating system programs

ON/OFF switch

Breaking capacity ~ 10 (4) A, 250 V

Temperature setback of approx. 4 K via external switch/time switch

Temperature range restriction in the rotary selector



Type	RTA-S UP	RTU-TC
Part no.	223344	238912
Height	80 mm	84 mm
Width	80 mm	84 mm
Depth	43 mm	40 mm
Colour	pure white, RAL 9010	white

Technical data

Height	80 mm	84 mm
Width	80 mm	84 mm
Depth	43 mm	40 mm
Rated voltage	230 V	
IP-Rating	IP30	

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.