


CNS-B 2000 Plus LCD Move

CONVECTORS

PRODUCT-NO.: 207068

Heat, always exactly where you want it. The elegant design of the freestanding convector makes this possible. Simply select your preferred temperature using the operating controls with LCD screen. Programming your portable heater is just as quick and easy. A weekly timer with three time programs and a self-learning function is already integrated for this purpose. To ensure that no heat is wasted, this freestanding convector even detects when windows are open.



The stainless steel heating element and steel fins, as well as the high quality manufacturing and finish, ensure that you gain maximum enjoyment from this premium design product. To ensure that the appliance remains safe even if it is tipped over, its integral pendulum switch automatically switches off the heating. Inbuilt electronic overheating protection provides additional safety.

The main features

Freestanding convector ideal as an auxiliary heater or interim heater in spring/autumn

Thanks to the high heating output, heat is available quickly

Easy programming and precise control with large, easy-to-read LC screen

High level of safety with pendulum switch and overheating protection

Folding handle for safe transport even when warm

Fully wired for immediate use

New, elegant design

Also available in white



Type	CNS 2000 Plus LCD Move	CNS-B 2000 Plus LCD Move
Part no.	207060	207068

Heating output

Rated heating output P _{nom}	2.00 kW	2.00 kW
Minimum heating output (standard value) P _{min}	0.00 kW	0.00 kW
Maximum continuous heating output P _{max,c}	2.00 kW	2.00 kW

Auxiliary power consumption

H rated heating output e _{Hmax}	0.00 kW	0.00 kW
H minimum heating output e _{Hmin}	0.00 kW	0.00 kW
Dby mode e _{LSB}	0.00 kW	0.00 kW

Type of heating output/room temperature control

Single stage heating output, no room temperature control	-	-
Two or more manual stages, no room temperature control	-	-
Room temperature control with mechanical thermostat	-	-
With electronic room temperature control	-	-
Electronic room temperature control plus day timer	-	-
Electronic room temperature control plus week timer	x	x

Other control options

Room temperature control with presence detection	-	-
Room temperature control with window open detection	x	x
With distance control option	-	-
With adaptive start control	x	x
With working time limitation	-	-
With black bulb sensor	-	-

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.