

# CNS 100 Trend M

CONVECTORS

PRODUCT-NO.: 203640

## Convenient warmth exactly where you need it

Do you want pleasant temperatures in very specific places in your home? In addition to your central heating? Then this practical wall mounted convector is the heater for you. Its slimline design makes it very easy to integrate.

## Effective resistance to the cold

The slimline appliance is very robust and can therefore withstand even the chaos and commotion of everyday life. An integrated frost protection function precludes heating system failures due to low temperatures.

## The main features

Compact wall mounted convector, ideal as an auxiliary heater or interim heater in spring/autumn

Extremely slimline design

Mechanical temperature controller

Safety through overheating protection

Robust design

Frost protection setting



**CNS 50 Trend M**

Product-No.: 203638



**CNS 150 Trend M**

Product-No.: 203641




**CNS 200 Trend M**

Product-No.: 203642



**CNS 250 Trend M**

Product-No.: 203643



**CNS 300 Trend M**

Product-No.: 203644



Type	CNS 50 Trend M	CNS 100 Trend M	CNS 150 Trend M
Part no.	203638	203640	203641

## Technical data

Power supply	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V
Rated voltage	230 V	230 V	230 V
Rated current	2,2 A	4,3 A	6,5 A
Connected load	0,5 kW	1 kW	1,5 kW
IP rating	IP24	IP24	IP24
Protection class	I	I	I
Colour	alpine white	alpine white	alpine white
Setting range	5-35 °C	5-35 °C	5-35 °C
Height	450 mm	450 mm	450 mm
Width	348 mm	426 mm	582 mm
Depth	100 mm	100 mm	100 mm
Weight	4.00 kg	4.60 kg	6.00 kg



Type	CNS 200 Trend M	CNS 250 Trend M	CNS 300 Trend M
Part no.	203642	203643	203644

## Technical data

Power supply	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V
Rated voltage	230 V	230 V	230 V
Rated current	8,7 A	10,9 A	10,5 A
Connected load	2 kW	2,5 kW	3 kW
IP rating	IP24	IP24	IP24
Protection class	I	I	I
Colour	alpine white	alpine white	alpine white
Setting range	5-35 °C	5-35 °C	5-35 °C
Height	450 mm	450 mm	450 mm
Width	738 mm	894 mm	1050 mm
Depth	100 mm	100 mm	100 mm
Weight	7.70 kg	9.10 kg	10.50 kg

Depth including wall mounting bracket

## **Contact information**

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **[info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)**

## **Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.