

CNS 100 F

CONVECTOR HEATERS

PRODUCT-NO.: 229790

The CNS-F may be used as a freestanding appliance wherever heat is required quickly. To operate this convector heater as a freestanding appliance, simply attach the feet with fitted castors supplied. With this appliance you'll be playing it safe, as it immediately shuts down if it accidentally gets knocked over. The integral thermal link also protects it from overheating. These very narrow appliances are robust and splashproof.



The main features

Including feet with castors

Splashproof to IP 24

High safety during operation, due to integral pendulum switch

ON/OFF switch

Power cable for a permanent connection



Type	CNS 100 F	CNS 200 F	CNS 250 F
Part no.	229790	229794	229795

Heating output

Rated heating output P_{nom}	1,00 kW	2,00 kW	2,50 kW
Minimum heat output (standard value) P_{min}	0,00 kW	2,00 kW	2,50 kW
Maximum continuous heating output $P_{max,c}$	1,00 kW	0,00 kW	0,00 kW

Auxiliary power consumption

D heating output $e_{l_{max}}$	0,00 kW	0,00 kW	0,00 kW
Heat output $e_{l_{min}}$	0,00 kW	0,00 kW	0,00 kW
Dby mode $e_{l_{SB}}$	0,00 kW	0,00 kW	0,00 kW

Type of heating output/room temperature control

Single stage heating output, no room temperature control	-	-	-
Two or more manually adjustable stages, no room temperature control	-	-	-
Room temperature control with mechanical thermostat	x	x	x
With electronic room temperature control	-	-	-
Electronic room temperature control and time of day control	-	-	-
Electronic room temperature control and day of week control	-	-	-

Other control options

Room temperature control with occupancy detection	-	-	-
Room temperature control with open window detection	-	-	-
With remote control option	-	-	-
With adaptive control for start of heating	-	-	-
With restricted operating times	-	-	-
With black bulb sensor	-	-	-

Dimensions including castor feet

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.