

CNS 300 S

CONVECTOR HEATERS

PRODUCT-NO.: 220724

The CNS-S convectors discreetly provide great heating comfort on two fronts. Firstly through their extremely flat design and secondly their extremely quiet and draught-free operation. These robust units are splashproof. They offer variable temperature selection from 5 to 30 °C.



The main features

3000 W heating output

Modern slimline design

Quiet, even temperature distribution

Variable temperature selection

Splashproof to IP 24

Easy and quick installation



Type	CNS 100 S	CNS 200 S	CNS 300 S
Part no.	220718	220722	220724

Heating output

Rated heating output P_{nom}	1 kW	2 kW	3 kW
Minimum heat output (standard value) P_{min}	1 kW	2 kW	3 kW
Maximum continuous heating output $P_{max,c}$	1 kW	2 kW	3 kW

Auxiliary power consumption

D heating output $e_{l_{max}}$	0,000 kW	0,000 kW	0,000 kW
Heat output $e_{l_{min}}$	0,000 kW	0,000 kW	0,000 kW
Dby mode $e_{l_{SB}}$	0,000 kW	0,000 kW	0,000 kW

Type of heating output/room temperature control

Single stage heating output, no room temperature control	-	-	-
Two or more manually adjustable stages, no room temperature control	-	-	-
Room temperature control with mechanical thermostat	x	x	x
With electronic room temperature control	-	-	-
Electronic room temperature control and time of day control	-	-	-
Electronic room temperature control and day of week control	-	-	-

Other control options

Room temperature control with occupancy detection	-	-	-
Room temperature control with open window detection	-	-	-
With remote control option	-	-	-
With adaptive control for start of heating	-	-	-
With restricted operating times	-	-	-
With black bulb sensor	-	-	-

Depth including 22 mm wall retainer

Note: Only for sales outside the EU.

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.