

CON 10 Premium

CONVECTOR HEATERS

PRODUCT-NO.: 237831

CON 10 Premium wall convector – heating with style.

The CON 10 Premium wall convector offers a unique combination of functionality and aesthetics. The CON 10 Premium enhances its environment not only by providing pleasant heat, but also through its elegant design.

With the aid of the integral controller, the comfort temperature can be controlled precisely using the 7-day timer – scheduled for 7 days, 5 days, the weekend – or spontaneously for between 10 and 120 minutes at the press of a button. If the room is ventilated, the wall convector switches off automatically.



The main features

Wall mounted convector – ideal as a booster heater or interim heater for spring/autumn

1000 W heating output

Even, quiet room air heating

High quality design with an aluminium front

Controls with backlit LCD

7-day timer, 120-minute short-time timer, frost protection and open window detection

Control unit with self-learning capability: automatic calculation of the preheat time in timer mode

ON/OFF switch and overheating protection

Made in Germany



Type	CON 5 Premium	CON 10 Premium	CON 15 Premium
Part no.	237830	237831	237832

Heating output

Rated heating output P_{nom}	0,50 kW	1,00 kW	1,50 kW
Minimum heat output (standard value) P_{min}	0,00 kW	0,00 kW	0,00 kW
Maximum continuous heating output $P_{max,c}$	0,50 kW	1,00 kW	1,50 kW

Auxiliary power consumption

D heating output $e_{l_{max}}$	0,00 kW	0,00 kW	0,00 kW
Heat output $e_{l_{min}}$	0,00 kW	0,00 kW	0,00 kW
Dby mode $e_{l_{SB}}$	0,00 kW	0,00 kW	0,00 kW

Type of heating output/room temperature control

Single stage heating output, no room temperature control	-	-	-
Two or more manually adjustable stages, no room temperature control	-	-	-
Room temperature control with mechanical thermostat	-	-	-
With electronic room temperature control	-	-	-
Electronic room temperature control and time of day control	-	-	-
Electronic room temperature control and day of week control	x	x	x

Other control options

Room temperature control with occupancy detection	-	-	-
Room temperature control with open window detection	x	x	x
With remote control option	-	-	-
With adaptive control for start of heating	x	x	x
With restricted operating times	-	-	-
With black bulb sensor	-	-	-



Type	CON 20 Premium	CON 30 Premium
Part no.	237833	237834
Heating output		
Rated heating output P_{nom}	2,00 kW	3,00 kW
Minimum heat output (standard value) P_{min}	0,00 kW	0,00 kW
Maximum continuous heating output $P_{max,c}$	2,00 kW	3,00 kW
Auxiliary power consumption		
D heating output $e_{l_{max}}$	0,00 kW	0,00 kW
Heat output $e_{l_{min}}$	0,00 kW	0,00 kW
Dby mode $e_{l_{SB}}$	0,00 kW	0,00 kW
Type of heating output/room temperature control		
Single stage heating output, no room temperature control	-	-
Two or more manually adjustable stages, no room temperature control	-	-
Room temperature control with mechanical thermostat	-	-
With electronic room temperature control	-	-
Electronic room temperature control and time of day control	-	-
Electronic room temperature control and day of week control	x	x
Other control options		
Room temperature control with occupancy detection	-	-
Room temperature control with open window detection	x	x
With remote control option	-	-
With adaptive control for start of heating	x	x
With restricted operating times	-	-
With black bulb sensor	-	-

Depth including wall mounting bracket

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.