

MHG 65 E

NATURAL STONE HEATERS


PRODUCT-NO.: 233643

Natural stone heaters: Cosy warmth delivered with individual charm.

These natural stone panels not only look stunning, they also give out a very pleasant heat. Thanks to a range of different designs, the natural stone heaters fit perfectly into a wide variety of interior design concepts.

Every model absolutely natural.

As every panel is made from natural stone into which only a thin cable is embedded, every heater is unique in colour and structure. Consequently, a natural stone heater lends any bathroom and living room a very special and individual kind of charm.



The main features

GALAXIS natural stone heater


White stone with a fine crystalline structure with slightly grey marbling

650 W heating output

Ideal as supplementary or booster heater

Pleasant radiated heat

Portrait or landscape installation is possible



Type	MHG 35 E	MHG 65 E	MHG 85 E
Part no.	233642	233643	233644
Connected load	0,350 kW	0,650 kW	0,850 kW
Depth	70 mm	70 mm	70 mm
Height	400 mm	400 mm	500 mm
Width	600 mm	1000 mm	1000 mm

Technical data

Design	Galaxis	Galaxis	Galaxis
Natural stone	Marble	Marble	Marble
Power supply	1/N ~ 230 V	1/N ~ 230 V	1/N ~ 230 V
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Rated current	1,5 A	2,8 A	3,7 A
Weight	21,00 kg	35,00 kg	44,00 kg
IP-Rating	IP66	IP66	IP66
Protection class	II	II	II



Type	MHG 115 E	MHG 145 E	MHG 165 E
Part no.	233645	233646	233647
Connected load	1,150 kW	1,450 kW	1,650 kW
Depth	70 mm	70 mm	70 mm
Height	600 mm	600 mm	600 mm
Width	1000 mm	1250 mm	1350 mm

Technical data

Design	Galaxis	Galaxis	Galaxis
Natural stone	Marble	Marble	Marble
Power supply	1/N ~ 230 V	1/N ~ 230 V	1/N ~ 230 V
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Rated current	5 A	6,3 A	7,2 A
Weight	52,00 kg	62,00 kg	70,00 kg
IP-Rating	IP66	IP66	IP66
Protection class	II	II	II

These appliances may only be installed and commissioned in conjunction with external room temperature controllers that have the following functions: Electronic room temperature control with day of week control and adaptive control of the start of heating. These requirements are met by the STIEBEL ELTRON RTU-TC, RTU-S UP Stiebel® and SRC C digital room temperature controllers. Failure to observe these requirements will result in the loss of the CE designation.

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.