

IA remote control

OUTDOOR RADIANT HEATER

PRODUCT-NO.: 234728

Bidirectional wireless remote control for regulating the receiver available as an accessory. Receivers can be switched individually or collectively in the five channels.

The main features

Wireless remote control with bidirectional function

5 ducts

Individual receivers or groups can be programmed on each channel

Wireless receiver available as an accessory





Type	IA 2054 extreme	IA 2024 outdoor	IA receiver
Part no.	233882	233889	233875
Width	610 mm	480 mm	105 mm
Height	100 mm	145 mm	300 mm
Depth	80 mm	145 mm	30 mm

Technical data

Power connection	1/N/PE~230 V	1/N/PE~230 V	1/N/PE~230 V
Rated voltage	230 V	230 V	230 V
Type of installation	horizontal/vertical	Horizontal	Finished walls
IP-Rating	IP54	IP24	IP54
Weight	2,5 kg	2,5 kg	0,800 kg
Colour	silver	white	black



Type	IA remote control
Part no.	234728
Width	51 mm
Height	120 mm
Depth	26 mm

Technical data

Power connection	miscellaneous
Rated voltage	3 V
Type of installation	miscellaneous
IP-Rating	IP20
Weight	0,120 kg
Colour	white

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.