

RHW 500

PRODUCT-NO.: 234427

Experience pleasant heat in a stylish design

The perfect amount of heat for you – this is what sets our radiant heaters apart. The heat is emitted from the appliance in a special way, which you will find very pleasant. At the same time, this heater will be a real design feature in your home, thanks to its slimline design and minimalist glass surface.

Looks that speak for themselves

The appliance owes its visual appeal in part to the masking frame on the back. This conceals the wall mounting bracket and electrical connection after installation. All that remains is for you to choose between a white or black surface. Furthermore, when combined with our room temperature controllers, these heaters have no difficulty complying with the Ecodesign Directive.

The main features


Ideal as an interim heater in spring/autumn or as a booster heater


Pleasant radiant heat

Clean design with high quality glass surface

Can be installed vertically or horizontally

White glass surface





Type	RHB 500	RHB 900	RHW 500
Part no.	234423	234425	234427

Technical data

Design	Glass front	Glass front	Glass front
IP rating	IP 24	IP 24	IP 24
Protection class	I	I	I
Colour	black	black	white
Power supply	1/N/PE ~ 230 V	1/N/PE ~ 230 V	1/N/PE ~ 230 V
Rated voltage	230 V	230 V	230 V
Rated current	2.0 A	3.7 A	2.0 A
Connected load	0.47 kW	0.85 kW	0.47 kW
Height	600 mm	600 mm	600 mm
Width	1000 mm	1800 mm	1000 mm
Depth	49 mm	49 mm	49 mm
Weight	12.90 kg	23.40 kg	12.90 kg



Type	RHW 900
Part no.	234429

Technical data

Design	Glass front
IP rating	IP 24
Protection class	I
Colour	white
Power supply	1/N/PE ~ 230 V
Rated voltage	230 V
Rated current	3.7 A
Connected load	0.85 kW
Height	600 mm
Width	1800 mm
Depth	49 mm
Weight	23.40 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.