

# DCE-C 10/12 Trend

PRODUCT-NO.: 238149

Find the perfect mix With this model, we have placed the emphasis on providing you with DHW convenience. The electronically controlled appliance is preset to a constant 55 °C. This makes it ideal for everyday use. You simply mix in cold water directly at the tap to achieve the preferred temperature that's right for you. The pleasure of water without the worries Hard water is not a problem for this instantaneous water heater. This is because it is equipped with a bare wire heating system. This means there is hardly any post-heating after the appliance has been switched off, thereby reducing unsightly limescale deposits.



## The main features

Electronically controlled compact instantaneous water heater

---

Good energy efficiency thanks to 2i technology

---

Outlet temperature fixed at 55 °C

---

Individual temperature adjustment through mixing with cold water

---

Exceptionally slimline, compact design



Type	DCE-C 6/8 Trend	DCE-C 10/12 Trend
Part no.	238148	238149

## Technical data

Rated voltage	220 V	220 V
Rated voltage 1	220 V	220 V
Rated voltage 2	230 V	230 V
Rated voltage 3	240 V	240 V
Rated output	6.0/8.0 kW	10.0/12.0 kW
Rated output 1	6.0/8.0 kW	10.0/12.0 kW
Rated output 2	6.6/8.7 kW	11.0/13.1 kW
Rated output 3		12.0/14.3 kW
Rated current	27.3/36.4 A	45.5/54.5 A
Rated current 1	27.3/36.4 A	45.5/54.5 A
Rated current 2	28.5/38.0 A	47.8/57.0 A
Rated current 3		50.0/59.5 A
Fuse protection	30/40 A	50/60 A
Fuse protection 1	30/40 A	50/60 A
Fuse protection 2	30/40 A	50/60 A
Fuse protection 3	30/40 A	50/60 A
Frequency	50/60 Hz	50/60 Hz
Frequency 1	50/60 Hz	50/60 Hz
Frequency 2	50/60 Hz	50/60 Hz
Frequency 3	50/60 Hz	50/60 Hz
Phases	1/N/PE	1/N/PE
Resistivity $\rho_{15} \geq$	1100 $\Omega$ cm	1100 $\Omega$ cm

<b>Conductivity <math>\sigma_{15 \leq}</math></b>	910 $\mu\text{S}/\text{cm}$	910 $\mu\text{S}/\text{cm}$
<b>IP rating</b>	IP 25	IP 25
<b>Temperature setting</b>	55 °C	55 °C
<b>Colour</b>	white	white
<b>ON</b>	1.3 l/min	1,3 l/min
<b>Height</b>	372 mm	372 mm
<b>Width</b>	217 mm	217 mm
<b>Depth</b>	97 mm	97 mm
<b>Weight</b>	2.50 kg	2.50 kg

## **Contact information**

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **[info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)**

## **Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.