

DCE-C 6/8 Trend

COMPACT INSTANTANEOUS WATER HEATER

Find the perfect mixThe pleasure of water without the worries With this model, we have placed the emphasis on providing you with DHW convenience. This electronically controlled appliance is preset to a constant 55 °C. This makes it ideal for everyday use. You simply mix in cold water directly at the tap to achieve the preferred temperature that's right for you.

The main features

Compact instantaneous water heater with electronic open-loop control

Good energy efficiency thanks to 2i technology

Outlet temperature fixed at 55 °C

Individual temperature adjustment through mixing with cold water

Exceptionally slimline, compact design

PRODUCT-NO.: 238148



DCE-C 10/12 Trend
Product-No.: 238149



Type	DCE-C 6/8 Trend	DCE-C 10/12 Trend
Part no.	238148	238149

Technical data

Rated voltage	220 V	220 V
Rated voltage 1	220 V	220 V
Rated voltage 2	230 V	230 V
Rated output	6.0/8.0 kW	10.0/12.0 kW
Rated output 1	6.0/8.0 kW	10.0/12.0 kW
Rated output 2	6.6/8.7 kW	11.0/13.1 kW
Rated current	27.3/36.4 A	45.5/54.5 A
Rated current 1	27.3/36.4 A	45.5/54.5 A
Rated current 2	28.5/38.0 A	47.8/57.0 A
Fuse protection	30/40 A	50/60 A
Fuse protection 1	30/40 A	50/60 A
Fuse protection 2	30/40 A	50/60 A
Frequency	50/60 Hz	50/60 Hz
Frequency 1	50/60 Hz	50/60 Hz
Frequency 2	50/60 Hz	50/60 Hz
Phases	1/N/PE	1/N/PE
Conductivity $\sigma_{15} \leq$	910 $\mu\text{S}/\text{cm}$	910 $\mu\text{S}/\text{cm}$
Resistivity $\rho_{15} \geq$	1100 $\Omega \text{ cm}$	1100 $\Omega \text{ cm}$
IP rating	IP25	IP25
Temperature setting	55 °C	55 °C
Colour	white	white

Switch-on water flow rate	1.3 l/min	1,3 l/min
Height	372 mm	372 mm
Width	217 mm	217 mm
Depth	97 mm	97 mm
Weight	2.50 kg	2.50 kg
Energy efficiency class	A	A

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.