

Tempra 15 Trend

TEMPRA TREND

PRODUCT-NO.: 239214

The main features

Electronic control for maximum energy efficiency and accurate temperature delivery

Backlit LCD

Temperature limit (childproofing)

Compact space saving design

Easy and quick installation

High quality - Made in Germany





Type	Tempra 12 Trend	Tempra 15 Trend	Tempra 20 Trend
Part no.	239213	239214	239215
Height	369 mm	369 mm	369 mm
Width	420 mm	420 mm	420 mm
Depth	117 mm	117 mm	117 mm

Technical data

Rated voltage 1	208 V	208 V	208 V
Rated output 1	9 kW	10,8 kW	14,4 kW
Rated current 1	44 A	2 x 26 A	2 x 35 A
Fuse 1	50 A	2 x 30 A	2 x 35 A
Rated voltage 2	240 V	240 V	240 V
Rated output 2	12 kW	14,4 kW	19,2 kW
Rated current 2	50 A	2 x 30 A	2 x 40 A
Fuse 2	50 A	2 x 30 A	2 x 40 A
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Power supply	1/GRD	2/GRD	2/GRD
Available temperature range	Off, 20-60 °C	Off, 20-60 °C	Off, 20-60 °C
Colour	white	white	white
Weight	6,1 kg	7,3 kg	7,3 kg



Type	Tempra 24 Trend	Tempra 29 Trend	Tempra 36 Trend
Part no.	239216	239217	239218
Height	369 mm	369 mm	369 mm
Width	420 mm	420 mm	420 mm
Depth	117 mm	117 mm	117 mm
Technical data			
Rated voltage 1	208 V	208 V	208 V
Rated output 1	18 kW	21,6 kW	27 kW
Rated current 1	2 x 44 A	3 x 35 A	3 x 44 A
Fuse 1	2 x 50 A	3 x 35 A	3 x 50 A
Rated voltage 2	240 V	240 V	240 V
Rated output 2	24 kW	28,8 kW	36 kW
Rated current 2	2 x 50 A	3 x 40 A	3 x 50 A
Fuse 2	2 x 50 A	3 x 40 A	3 x 50 A
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Power supply	2/GRD	3/GRD	3/GRD
Available temperature range	Off, 20-60 °C	Off, 20-60 °C	Off, 20-60 °C
Colour	white	white	white
Weight	7,3 kg	8,6 kg	8,6 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.