

# Tempra 29 Trend

TEMPRA TREND

PRODUCT-NO.: 239217

## The main features

Electronic control for maximum energy efficiency and accurate temperature delivery

---

Backlit LCD

---

Temperature limit (childproofing)

---

Compact space saving design

---

Easy and quick installation

---

High quality - Made in Germany





Type	Tempra 12 Trend	Tempra 15 Trend	Tempra 20 Trend
<b>Part no.</b>	239213	239214	239215
<b>Height</b>	369 mm	369 mm	369 mm
<b>Width</b>	420 mm	420 mm	420 mm
<b>Depth</b>	117 mm	117 mm	117 mm
<b>Technical data</b>			
<b>Rated voltage 1</b>	208 V	208 V	208 V
<b>Rated output 1</b>	9 kW	10,8 kW	14,4 kW
<b>Rated current 1</b>	44 A	2 x 26 A	2 x 35 A
<b>Fuse 1</b>	50 A	2 x 30 A	2 x 35 A
<b>Rated voltage 2</b>	240 V	240 V	240 V
<b>Rated output 2</b>	12 kW	14,4 kW	19,2 kW
<b>Rated current 2</b>	50 A	2 x 30 A	2 x 40 A
<b>Fuse 2</b>	50 A	2 x 30 A	2 x 40 A
<b>Frequency</b>	50/60 Hz	50/60 Hz	50/60 Hz
<b>Power supply</b>	1/GRD	2/GRD	2/GRD
<b>Available temperature range</b>	Off, 20-60 °C	Off, 20-60 °C	Off, 20-60 °C
<b>Colour</b>	white	white	white
<b>Weight</b>	6,1 kg	7,3 kg	7,3 kg



Type	Tempra 24 Trend	Tempra 29 Trend	Tempra 36 Trend
Part no.	239216	239217	239218
Height	369 mm	369 mm	369 mm
Width	420 mm	420 mm	420 mm
Depth	117 mm	117 mm	117 mm

## Technical data

Rated voltage 1	208 V	208 V	208 V
Rated output 1	18 kW	21,6 kW	27 kW
Rated current 1	2 x 44 A	3 x 35 A	3 x 44 A
Fuse 1	2 x 50 A	3 x 35 A	3 x 50 A
Rated voltage 2	240 V	240 V	240 V
Rated output 2	24 kW	28,8 kW	36 kW
Rated current 2	2 x 50 A	3 x 40 A	3 x 50 A
Fuse 2	2 x 50 A	3 x 40 A	3 x 50 A
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Power supply	2/GRD	3/GRD	3/GRD
Available temperature range	Off, 20-60 °C	Off, 20-60 °C	Off, 20-60 °C
Colour	white	white	white
Weight	7,3 kg	8,6 kg	8,6 kg

## **Contact information**

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **[info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)**

## **Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.