


SB 602 AC

FLOOR MOUNTED CYLINDER

PRODUCT-NO.: 071554

Meet the highest demands for hot water**Clever additions** Do you want DHW heating to be controlled from a central point in your apartment building? This floor mounted combi cylinder is designed precisely for such complex requirements. It is so flexible that it can even reliably supply industrial buildings and commercial premises.



The main features

Floor mounted cylinder for central DHW heating

Thermometer and signal anode with display element

Two flanged apertures for use of flanged immersion heaters as required

Thermal insulation as accessory

Special enamel coating for a long service life



SB 1002 AC

Product-No.: 071282



Type	SB 602 AC	SB 1002 AC
Part no.	071554	071282

Technical data

Energy efficiency class	C	C
Nominal capacity	600 l	1000 l
Water connection	G 2 A / G 1 1/2 A	top/bottom: G 2 / G 1 1/2
Height	1685 mm	2525 mm
Width	750 mm	750 mm
Depth	800 mm	800 mm
Weight, empty	154 kg	212 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.