

## ESH 10 0-N Trend +A

SMALL WATER HEATER

PRODUCT-NO.: 201395

The small water heater in a set with mono lever tap for a washbasin is suitable for connection to a single draw-off point

### The main features

For supplying a washbasin

---

Small water heater and tap kit



**ESH 5 0-N Trend+A**  
Product-No.: 201389

## Set-Components 1



Type	ESH 5 O-N Trend	ESH 10 O-N Trend
Product set	ESH 5 O-N Trend+A	ESH 10 O-N Trend +A

## Technical data

Connected load	2 kW	2 kW
Power supply	1/N/PE	1/N/PE
Rated voltage	230 V	230 V
Frequency	50-60 Hz	50-60 Hz
Energy efficiency class (A+ → F)	A	A
Standby energy consumption/24 h at 65 °C	0.25 kWh	0.31 kWh
Nominal capacity	5 l	10 l
Mixed water amount at 40 °C	9,3 l	19 l
Temperature setting range	35 - 85 °C	35 - 85 °C
Version	Small water heater	Small water heater
Type	non-pressurised	non-pressurised
Installation type	Oversink	Oversink
With tap	-	-
Colour	white	white
Operation	manual	manual
Temperature limit	•	•
IP rating	IP24 D	IP24 D
Height	415 mm	506 mm

Width	252 mm	296 mm
Depth	233 mm	276 mm
Weight	3.10 kg	5.00 kg

Design and technical features as ESH 5 O-N Trend or ESH 10 O-N Trend with non-pressurised mono lever mixer tap in one complete package.

---

## **Contact information**

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **[info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)**

## **Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.