

ESH 5 0-N Trend

SMALL WATER HEATER

PRODUCT-NO.: 201388

Simply use hot water.

The small water heater supplies a draw-off point with average DHW demand. We recommend the version with larger cylinder capacity for frequently used draw-off points



Ready for use immediately.

Are you short on space under the sink for a small water heater? No problem – you can easily install this model above the sink if you prefer. It is equipped with a long power cable with standard plug. Ensuring versatile convenience.



ESH 10 0-N Trend

Product-No.: 201393

The main features

Variable Temperature setting range in the range of 35 - 85 °C with temperature limit option

Suitable for oversink installation

Reset the high limit safety cut-out by unplugging the power plug



Type	ESH 5 O-N Trend	ESH 10 O-N Trend
Part no.	201388	201393

Technical data

Connected load	2 kW	2 kW
Power supply	1/N/PE	1/N/PE
Rated voltage	230 V	230 V
Frequency	50-60 Hz	50-60 Hz
Energy efficiency class (A+ → F)	A	A
Standby energy consumption/24 h at 65 °C	0.25 kWh	0.31 kWh
Nominal capacity	5 l	10 l
Mixed water amount at 40 °C	9,3 l	19 l
Temperature setting range	35 - 85 °C	35 - 85 °C
Version	Small water heater	Small water heater
Type	non-pressurised	non-pressurised
Installation type	Oversink	Oversink
With tap	-	-
Colour	white	white
Operation	manual	manual
Temperature limit	•	•
IP rating	IP24 D	IP24 D
Height	415 mm	506 mm
Width	252 mm	296 mm
Depth	233 mm	276 mm
Weight	3.10 kg	5.00 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.