

SH 10 SLi

SMALL WATER HEATERS 5 TO 15 L

PRODUCT-NO.: 229476

For installation above the draw-off point, the small water heater SH..SL is ideal, irrespective of whether you want to supply one or several draw-off points. These devices are available with capacities of 10 or 15 litres. They can be adjusted anywhere between 35 °C and 82 °C, making water with a consistent temperature available at all times. The thermal cut-out provides a permanent, safety-first maximum water temperature. This can be set to 38, 45, 55 or 65 °C. The highly effective thermal insulation of the small water heaters ensures the lowest energy losses.



The main features

Small water heater, 10 litre capacity

230 V power cable with earthed plug

For one or several draw-off points

Low standby loss power consumption

Splashproof to IP 24 D

Economy setting 60 °C

Installation with the KV safety assembly

Plug-in unit for electrical connection to any standard socket



| Type | SH 15 SL 3.3 kW | SH 10 SLi | SH 15 SLi |
|----------------|-----------------|-----------|-----------|
| Part no. | 229479 | 229476 | 229478 |
| Connected load | 3,3 kW | 2 kW | 2 kW |
| Width | 316 mm | 295 mm | 316 mm |
| Depth | 295 mm | 275 mm | 295 mm |
| Height | 601 mm | 503 mm | 601 mm |

Technical data

| | | | |
|--|----------|----------|----------|
| Rated voltage 1 | 220 V | 220 V | 220 V |
| Rated output 1 | 3,0 kW | 1,8 kW | 1,8 kW |
| Rated current 1 | 13,7 A | 8,3 A | 8,3 A |
| Fuse 1 | 16 A | 10 A | 10 A |
| Rated voltage 2 | 230 V | 230 V | 230 V |
| Rated output 2 | 3,3 kW | 2,0 kW | 2,0 kW |
| Rated current 2 | 14,3 A | 8,7 A | 8,7 A |
| Fuse 2 | 16 A | 10 A | 10 A |
| Rated voltage 3 | 240 V | 240 V | 240 V |
| Rated output 3 | 3,6 kW | 2,2 kW | 2,2 kW |
| Rated current 3 | 15,0 A | 9,1 A | 9,1 A |
| Fuse 3 | 16 A | 10 A | 10 A |
| Frequency | 50/60 Hz | 50/60 Hz | 50/60 Hz |
| Rated capacity | 15 l | 10 l | 15 l |
| Rated voltage | 230 V | 230 V | 230 V |
| Power supply | 1/N/PE | 1/N/PE | 1/N/PE |
| Standby energy consumption/24 h at 65 °C | 0,4 kWh | 0,34 kWh | 0,4 kWh |
| Colour | white | white | white |

| | | | |
|--------------------------------|-------|------|---------|
| IP-Rating | IP24 | IP24 | IP24 |
| Energy efficiency class | A | A | A |
| Weight | 11 kg | 8 kg | 10,5 kg |

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.