

SH 10 SLi

SMALL WATER HEATERS 5 TO 15 L

PRODUCT-NO.: 229476

For installation above the draw-off point, the small water heater SH..SL is ideal, irrespective of whether you want to supply one or several draw-off points. These devices are available with capacities of 10 or 15 litres. They can be adjusted anywhere between 35 °C and 82 °C, making water with a consistent temperature available at all times. The thermal cut-out provides a permanent, safety-first maximum water temperature. This can be set to 38, 45, 55 or 65 °C. The highly effective thermal insulation of the small water heaters ensures the lowest energy losses.



The main features

Small water heater, 10 litre capacity

230 V power cable with earthed plug

For one or several draw-off points

Low standby loss power consumption

Splashproof to IP 24 D

Economy setting 60 °C

Installation with the KV safety assembly

Plug-in unit for electrical connection to any standard socket



Type	SH 10 SLi	SH 15 SLi
Part no.	229476	229478
Connected load	2 kW	2 kW
Width	295 mm	316 mm
Depth	275 mm	295 mm
Height	503 mm	601 mm

Technical data

Rated voltage	230 V	230 V
Rated output 1	1.8 kW	1.8 kW
Rated current 1	8.3 A	8.3 A
Fuse 1	10 A	10 A
Frequency	50/60 Hz	50/60 Hz
Rated capacity	10 l	15 l
Power supply	1/N/PE	1/N/PE
Standby energy consumption/24 h at 65 °C	0,34 kWh	0,4 kWh
Colour	white	white
IP-Rating	IP24	IP24
Energy efficiency class	A	A
Weight	7,9 kg	10,1 kg
Phases	1/N/PE	1/N/PE

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.