

SHC 15

PRODUCT-NO.: 234337

Enjoy pleasantly hot water close to hand

This small water heater offers you a range of beneficial features. For example, the appliance can supply multiple washbasins in your home without consuming much energy at all. And conveniently, it can be combined with all commercially available pressure taps.

Save energy and water

As the water heater will be installed directly underneath your sink, the hot water only has a very short distance to travel. It will therefore come out of the tap as hot as you want it to be, with no energy lost. The high grade thermal insulation is an additional plus point.

The main features

Quick DHW availability without delay

Electrical connection to standard sockets

Matching safety valves available as accessories





Type	SHC 10	SHC 15
Part no.	233747	234337

Technical data

Rated output 2	1,5 kW	1.5 kW
Power supply	1/N/PE	1/N/PE
Fuse protection 2	10 A	10 A
Frequency	50/60 Hz	50/60 Hz
Standby energy consumption/ 24 h at 65 °C	0.48 kWh	0.49 kWh
Nominal capacity	10 l	15 l
Mixed water volume 40 °C	15,3 l	23 l
Mixed water volume 40 °C (15 °C/60 °C)	15,3 l	23 l
Temperature setting range	30 - 65 °C	30 - 65 °C
Version	Small water heater	Small water heater
Type	closed	closed
Installation type	Undersink	Undersink
With tap	-	-
Inner cylinder material	Steel, enamelled	Steel, enamelled
Colour	white	white
Cable length	1 m	1 m
Operation	manual	manual
Temperature limit	•	•
IP rating	IP 24 D	IP 24 D
Height	430 mm	452 mm
Width	280 mm	320 mm
Depth	270 mm	318 mm

Weight

7.20 kg

9.00 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.