

SHD 30 S

WALL MOUNTED CYLINDER

PRODUCT-NO.: 073059

Enjoy the benefits of DHW reliability

With this appliance, we are offering you a virtually limitless supply of hot water. This is possible, because we have combined the advantages of an instantaneous water heater and a cylinder. High output meets clever cylinder technology. Do you ever need hot water in a hurry? Not a problem: simply press the rapid heat-up button and the stored hot water is heated in no time. For complete everyday flexibility.



The main features

Hydraulically controlled wall mounted cylinder

Simple temperature selection from 35-85 °C with variable adjustment on the appliance

High connected load for quick DHW heating

Rapid heat-up button for demand-dependent heating

Special enamel coating for a long service life



SHD 100 S

Product-No.: 073060



Type	SHD 30 S	SHD 100 S
Part no.	073059	073060

Technical data

Connected load ~ 400 V	3,4/20,4 kW	3,4/20,4 kW
Power supply	3/PE	3/PE
Rated voltage	400 V	400 V
Frequency	50 Hz	50 Hz
Load profile	S	L
Energy efficiency class (A+ → F)	B	C
Standby energy consumption/24 h at 65 °C	0.46 kWh	0.86 kWh
Nominal capacity	30 l	100 l
Mixed water amount at 40 °C	50 l	133 l
Temperature setting range	35-85 °C	35-85 °C
Max. flow rate	18 l/min	18 l/min
Colour	white	white
IP rating	IP25	IP25
Height	770 mm	1050 mm
Width	410 mm	510 mm
Depth	420 mm	510 mm
Weight	24.30 kg	40.10 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.