

## ESH 5 0-N Trend+A

SMALL WATER HEATER

PRODUCT-NO.: 201389

The small water heater in a set with mono lever tap for a washbasin is suitable for connection to a single draw-off point

### The main features

For supplying a washbasin

---

Small water heater and tap kit



**ESH 10 0-N Trend +A**

Product-No.: 201395

## Set-Components 1



| Type        | ESH 5 O-N Trend   | ESH 10 O-N Trend    |
|-------------|-------------------|---------------------|
| Product set | ESH 5 O-N Trend+A | ESH 10 O-N Trend +A |

## Technical data

|  |                    |                    |
|--|--------------------|--------------------|
| Connected load                           | 2 kW               | 2 kW               |
| Power supply                             | 1/N/PE             | 1/N/PE             |
| Rated voltage                            | 230 V              | 230 V              |
| Frequency                                | 50-60 Hz           | 50-60 Hz           |
| Energy efficiency class                  | A                  | A                  |
| Standby energy consumption/24 h at 65 °C | 0.25 kWh           | 0.31 kWh           |
| Nominal capacity                         | 5 l                | 10 l               |
| Mixed water amount at 40 °C              | 9,3 l              | 19 l               |
| Temperature setting range                | 35 - 85 °C         | 35 - 85 °C         |
| Version                                  | Small water heater | Small water heater |
| Type                                     | non-pressurised    | non-pressurised    |
| Installation type                        | Oversink           | Oversink           |
| With tap                                 | -                  | -                  |
| Colour                                   | white              | white              |
| Operation                                | manual             | manual             |
| Temperature limit                        | •                  | •                  |
| IP rating                                | IP24 D             | IP24 D             |
| Height                                   | 415 mm             | 506 mm             |

|        |         |         |
|--------|---------|---------|
| Width  | 252 mm  | 296 mm  |
| Depth  | 233 mm  | 276 mm  |
| Weight | 3.10 kg | 5.00 kg |

Design and technical features as ESH 5 O-N Trend or ESH 10 O-N Trend with non-pressurised mono lever mixer tap in one complete package.

---

## **Contact information**

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **[info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)**

## **Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.