

HMS Trend

ACCESSORIES

The hydraulic module simplifies the integration of air source heat pumps into the system hydraulics and is equipped with an appliance cover with high quality paint finish. This allows many components to be installed directly in a single step. The heat pump manager, high efficiency heating circuit pump for heating and DHW, safety valve, expansion vessel and emergency/auxiliary heater are all integrated as standard. An optional insulated connector block can be used, which simplifies installation and reduces installation time.

The main features

For simplified installation of air source heat pumps

Compact design for a small footprint

High equipment level through prefabricated hydraulic components

Ideal for use in family homes

PRODUCT-NO.: 233826



HM Trend

Product-No.: 232805



| Type | HM Trend | HMS Trend |
|----------|----------|-----------|
| Part no. | 232805 | 233826 |

Technical data

| | | |
|---|----------|----------|
| Max. permissible pressure | 0.30 MPa | 0.30 MPa |
| External available pressure differential at 1.0 m ³ /h | 715 hPa | 715 hPa |
| External available pressure differential at 1.5 m ³ /h | 661 hPa | 661 hPa |
| External available pressure differential at 2 m ³ /h | 468 hPa | 468 hPa |
| External available pressure differential at 2.5 m ³ /h | 300 hPa | 300 hPa |
| Expansion vessel volume | 24 l | 24 l |
| Rated voltage, control unit | 230 V | 230 V |
| Rated voltage, emergency/auxiliary heater | 400 V | 230 V |
| Power consumption, emergency/auxiliary heater | 8.80 kW | 5.90 kW |
| Height | 896 mm | 896 mm |
| Height incl. connector block | 1131 mm | 1131 mm |
| Width | 590 mm | 590 mm |
| Depth | 405 mm | 405 mm |
| Weight | 27 kg | 27 kg |
| Connection | G 1 | G 1 |

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.