

WPL 19 A

AIR-WATER HEAT PUMPS

PRODUCT-NO.: 236412

The main features

Air-water heat pump installed outdoors for heating

Also ideal for use in older buildings

Low energy spending through high efficiency (A++)





Type	WPL 19 A	WPL 24 A
Part no.	236412	236413
Output at A2/W35 (EN 14511)	7,41 kW	9,04 kW
Output at A-7/W35 (EN 14511)	9,91 kW	13,45 kW
Coefficient of performance at A-7/W35 (EN 14511)	3,32	3
Coefficient of performance at A2/W35 (EN 14511)	4,12	4

Technical data

Energy efficiency class, heat pump W35	A+++	A+++
Energy efficiency class, W55 heat pump	A++	A++
Energy efficiency class, composite system (heat pump + controller) W35	A+++	A+++
Energy efficiency class, composite system (heat pump + controller) W55	A++	A++
SCOP (EN 14825)	4,6	4,58
Sound power level (EN 12102)	59 dB(A)	59 dB(A)
Sound pressure level at 5 m distance in a free field	37 dB(A)	37 dB(A)
Rated compressor voltage	400 V	400 V
Rated voltage, emergency/booster heater	400 V	400 V
Max. application limit on the heating side	65 °C	65 °C
Colour	white	white
Height	1434 mm	1434 mm
Width	1240 mm	1240 mm
Depth	1280 mm	1280 mm
Weight (standard appliance)	201 kg	201 kg
Total weight - external installation	279 kg	279 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.