


WPF 10 cool










BRINE-WATER HEAT PUMPS









PRODUCT-NO.: 232918

Obligatory supplies

Article	Part no.	Type	Description
	233307	<u>WPSF</u>	Brine filling unit

Additional supplies

Article	Part no.	Type	Description
	233711	STB-FB	Safety thermostat, underfloor heating system
	233603	<u>WPKI-HKM E</u>	Heating circuit assembly with mixing valve
	232461	WPSV 25-6	Brine distributor DN 20, Number of brine circuits: 6, Ball valve with clamp fitting: DN 20
	235234	<u>MFS-WP 28</u>	Pressure gauge filter set, Connection: G 1 1/4 A / Cu 28 x 1.5
	234762	<u>WPKI 6</u>	Compact installation
	221382	DWS1	Brine pressure switch
	223358	<u>SP cool</u>	Electrical distributor strip, Height: 90 mm, Width: 310 mm, Depth: 65 mm
	185579	<u>FE 7</u>	Remote control with room sensor, Height: 80,00 mm, Width: 80,00 mm, Depth: 30 mm
	161696	<u>MEG 30</u>	Heat transfer medium, 30 litres, Liquid content: 30 l

	233602	<u>WPKI-HK E</u>	Heating circuit assembly without mixing valve
	233511	<u>FS-WP 22</u>	Filter assembly, Connection: G 1 A / Cu 22 x 1
	221135	<u>WPHW 25</u>	Low loss header, Heat pump connection: G 1 1/2, Heating connection: G 1 1/2, Flow rate: 2 m³/h
	233512	<u>FS-WP 28</u>	Filter assembly, Connection: G 1 1/4 A / Cu 28 x 1.5
	238826	<u>HSBC 300 L cool</u>	Integral cylinder, Nominal capacity, DHW cylinder: 270 l, Nominal capacity, buffer cylinder: 100 l, Energy efficiency class: B
	235218	<u>MAG 12</u>	Brine expansion vessel, Expansion vessel: 12 l, Inlet pressure: 0,05 MPa
	235233	<u>MFS-WP 22</u>	Pressure gauge filter set, Connection: G 1 A / Cu 22 x 1
	185460	<u>SBP 700 E SOL</u>	Buffer cylinder, Rated capacity: 703 l, Height: 1890 mm, Diameter incl. thermal insulation: 910 mm

Contact information

You have questions? We appreciate to help you:

Call +49 5531 - 7020

Write an email to info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.