


WPF 13 cool










BRINE-WATER HEAT PUMPS









PRODUCT-NO.: 232919

Obligatory supplies

Article	Part no.	Type	Description
	233307	<u>WPSF</u>	Brine filling unit

Additional supplies

Article	Part no.	Type	Description
	233711	STB-FB	Safety thermostat, underfloor heating system
	230660	<u>GWS 2</u>	Groundwater module, Height: 630 mm, Width: 640 mm, Depth: 230 mm, Weight: 26,5 kg
	233511	<u>FS-WP 22</u>	Filter assembly, Connection: G 1 A / Cu 22 x 1
	235234	<u>MFS-WP 28</u>	Pressure gauge filter set, Connection: G 1 1/4 A / Cu 28 x 1.5
	233603	<u>WPKI-HKM E</u>	Heating circuit assembly with mixing valve
	235218	<u>MAG 12</u>	Brine expansion vessel, Expansion vessel: 12 l, Inlet pressure: 0,05 MPa
	221382	DWS1	Brine pressure switch
	235233	<u>MFS-WP 22</u>	Pressure gauge filter set, Connection: G 1 A / Cu 22 x 1
	233602	<u>WPKI-HK E</u>	Heating circuit assembly without mixing valve

	185579	<u>FE 7</u>	Remote control with room sensor, Height: 80,00 mm, Width: 80,00 mm, Depth: 30 mm
	161696	<u>MEG 30</u>	Heat transfer medium, 30 litres, Liquid content: 30 l
	223358	<u>SP cool</u>	Electrical distributor strip, Height: 90 mm, Width: 310 mm, Depth: 65 mm
	233512	<u>FS-WP 28</u>	Filter assembly, Connection: G 1 1/4 A / Cu 28 x 1.5
	232461	WPSV 25-6	Brine distributor DN 20, Number of brine circuits: 6, Ball valve with clamp fitting: DN 20
	234762	<u>WPKI 6</u>	Compact installation
	185460	<u>SBP 700 E SOL</u>	Buffer cylinder, Rated capacity: 703 l, Height: 1890 mm, Diameter incl. thermal insulation: 910 mm
	221135	<u>WPHW 25</u>	Low loss header, Heat pump connection: G 1 1/2, Heating connection: G 1 1/2, Flow rate: 2 m ³ /h

Contact information

You have questions? We appreciate to help you:

Call +49 5531 - 7020

Write an email to info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.