


WPF 13 M









BRINE-WATER HEAT PUMPS








PRODUCT-NO.: 182135

Obligatory supplies

Article	Part no.	Type	Description
	236000	<u>WPM International</u>	Heat pump manager with international operating instructions, Height: 400 mm, Width: 310 mm, Depth: 100 mm

Additional supplies

Article	Part no.	Type	Description
	233711	STB-FB	Safety thermostat, underfloor heating system
	234763	<u>WPKI 5</u>	Compact installation
	233099	<u>WPKI-W E</u>	Compact installation
	230381	<u>WPM-RBS</u>	Relay set for high efficiency pumps, Height: 211 mm, Width: 205 mm, Depth: 56 mm
	222375	<u>WPSB 308 E</u>	Brine assembly for the heat source system including high efficiency pump
	233602	<u>WPKI-HK E</u>	Heating circuit assembly without mixing valve
	232461	WPSV 25-6	Brine distributor DN 20, Number of brine circuits: 6, Ball valve with clamp fitting: DN 20
	221361	<u>SBB 302 WP</u>	DHW cylinder, Rated capacity: 290 l, Energy efficiency class: C

	161696	<u>MEG 30</u>	Heat transfer medium, 30 litres, Liquid content: 30 l
	235950	<u>UP 25/1-8 PCV</u>	Circulation pump
	233097	<u>WPKI-P E</u>	Compact installation
	230660	<u>GWS 2</u>	Groundwater module, Height: 630 mm, Width: 640 mm, Depth: 230 mm, Weight: 26,5 kg
	233098	<u>WPKI-H E</u>	Heating circuit assembly without mixing valve
	234349	<u>SBBE 302 WP</u>	DHW cylinder, Rated capacity: 290 l, Energy efficiency class: A
	233603	<u>WPKI-HKM E</u>	Heating circuit assembly with mixing valve

Contact information

You have questions? We appreciate to help you:

Call +49 5531 - 7020

Write an email to info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.