

SOL 27 premium W



SOLAR COLLECTORS

















PRODUCT-NO.: 230017

Obligatory supplies

Article	Part no.	Type	Description
	074100	<u>H-30 LS, 20 litres</u>	Heat transfer medium, Content: 20 l, Colour: Red, fluorescent, Resistant to constant temperatures up to: 170 °C
	230186	<u>SOL SV-D</u>	Collector plug-in connection
	230913	<u>SOL SV-F</u>	Plug-in connection, flat roof/wall
	073222	<u>H-30 L, 20 litres</u>	Heat transfer medium, Content: 20 l, Colour: blue, Resistant to constant temperatures up to: 150 °C
	230185	<u>SOL SV-A</u>	Collector plug-in connection
	074099	<u>H-30 LS, 10 litres</u>	Heat transfer medium, Content: 10 l, Colour: Red, fluorescent, Resistant to constant temperatures up to: 170 °C
	073221	<u>H-30 L, 10 litres</u>	Heat transfer medium, Content: 10 l, Colour: blue, Resistant to constant temperatures up to: 150 °C

Additional supplies

Article	Part no.	Type	Description
	234785	<u>SOM 7 E plus</u>	Solar control unit, Consumer: 2, Number of standard systems: 10
	232944	<u>SFR 10</u>	Flexible solar pipe DN 20, 10 m long

	230178	<u>SOL BF-W</u>	Flat roof fixing kit
	230933	<u>SOM 8 plus</u>	Solar control unit, Consumer: 5
	232945	<u>SFR 15</u>	Flexible solar pipe DN 20, 15 m long
	231998	<u>SOL BW</u>	Fixings, corrugated roof
	187868	<u>AG 50</u>	Diaphragm expansion vessel, suitable for H-30 L, Volume: 50 l, Connection: G 3/4
	232946	<u>SFR 20</u>	Flexible solar pipe DN 20, 20 m long
	230920	<u>SOL R1 W</u>	Mounting frame for two horizontal collectors
	230171	<u>SOL RV</u>	Frame connecting kit
	230189	<u>SOL BS</u>	Fixing kit, shingle roof
	234783	<u>SOKI E Trend</u>	Solar compact installation
	074029	<u>AG 12</u>	Diaphragm expansion vessel, suitable for H-30 L, Volume: 12 l, Connection: G 1/2
	230173	<u>SOL RA</u>	Frame support
	074031	<u>AG 25</u>	Diaphragm expansion vessel, suitable for H-30 L, Volume: 25 l, Connection: G 3/4
	232947	<u>SFR 25</u>	Flexible solar pipe DN 20, 25 m long
	231899	<u>AG 80</u>	Diaphragm expansion vessel (type-tested), H-30 L, Volume: 80 l, Connection: G1
	234784	<u>SOKI 7 E plus</u>	Solar compact installation



230175

SOL BP

Fixings, pantiled roof



074030

AG 18Diaphragm expansion vessel, suitable for H-30 L,
Volume: 18 l, Connection: G 3/4

Contact information

You have questions? We appreciate to help you:

Call +49 5531 - 7020

Write an email to info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.