

WDH 1001 SBS

ACCESSORIES

The main features

Graphite inserts for good insulation properties

Two insulation semi-shells to make it easier to match the shape

Composite thermal insulation made from rigid foam and fleece

PRODUCT-NO.: 231927



WDH 601 SBS

Product-No.: 231925



WDH 801 SBS

Product-No.: 231926



WDH 1501 SBS

Product-No.: 231928



Type	WDH 601 SBS	WDH 801 SBS	WDH 1001 SBS
Part no.	231925	231926	231927

Technical data

Insulation for	SBS 601 W, W SOL	SBS 801 W, W SOL	SBS 1001 W, W SOL
Thermal insulation thickness	110 mm	110 mm	110 mm
Standby energy consumption/24 h at 65 °C	2.60 kWh	2.90 kWh	3.50 kWh



Type	WDH 1501 SBS
Part no.	231928

Technical data

Insulation for	SBS 1501 W, W SOL
Thermal insulation thickness	110 mm
Standby energy consumption/24 h at 65 °C	4.10 kWh

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.