


SBB 600 WP SOL






DHW CYLINDER

PRODUCT-NO.: 235906

Obligatory supplies

Article	Part no.	Type	Description
	235909	<u>WDH 600 SBB</u>	Thermal insulation, Standby energy consumption/24 h at 65 °C: 2,7 kWh, Insulation for: SBB 600 WP SOL, Height: 1803 mm, Thickness: 110 mm

Additional supplies

Article	Part no.	Type	Description
	232629	<u>WRV 40</u>	Corrugated pipe connector, heat exchanger, Internal diameter, corrugated pipe: DN 40
	232030	BGC 2/60	Threaded immersion heater, Depth of insertion: 480 mm
	075131	FCR 28/180 Si	Flanged immersion heater, Connected load with ~ 400 V: 18 kW, Version: Single circuit
	075124	FCR 28/360 Si	Flanged immersion heater, Connected load with ~ 400 V: 36 kW, Version: Single circuit
	000694	FCR 28/120	Flanged immersion heater, Connected load with ~ 400 V: 12 kW, Version: Single circuit
	233719	<u>UPZ</u>	DHW circulation pump, Connection: G 1/2
	075140	FCR 28/120 Si	Flanged immersion heater, Connected load with ~ 400 V: 12 kW, Version: Single circuit



000695

FCR 28/180

Flanged immersion heater, Connected load with ~
400 V: 18 kW, Version: Single circuit

Contact information

You have questions? We appreciate to help you:

Call +49 5531 - 7020

Write an email to info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.