


SBB 800 WP SOL







DHW CYLINDER

PRODUCT-NO.: 235907

Obligatory supplies

Article	Part no.	Type	Description
	235910	<u>WDH 800 SBB</u>	Thermal insulation, Standby energy consumption/24 h at 65 °C: 3 kWh, Insulation for: SBB 800 WP SOL, Height: 2065 mm, Thickness: 110 mm

Additional supplies

Article	Part no.	Type	Description
	232030	BGC 2/60	Threaded immersion heater, Depth of insertion: 480 mm
	000694	FCR 28/120	Flanged immersion heater, Connected load with ~ 400 V: 12 kW, Version: Single circuit
	233719	<u>UPZ</u>	DHW circulation pump, Connection: G 1/2
	000695	FCR 28/180	Flanged immersion heater, Connected load with ~ 400 V: 18 kW, Version: Single circuit
	075141	FCR 28/270 Si	Flanged immersion heater, Connected load with ~ 400 V: 27 kW, Version: Single circuit
	075140	FCR 28/120 Si	Flanged immersion heater, Connected load with ~ 400 V: 12 kW, Version: Single circuit
	232629	<u>WRV 40</u>	Corrugated pipe connector, heat exchanger, Internal diameter, corrugated pipe: DN 40
	075131	FCR 28/180 Si	Flanged immersion heater, Connected load with ~ 400 V: 18 kW, Version: Single circuit

075124

FCR 28/360 SiFlanged immersion heater, Connected load with ~
400 V: 36 kW, Version: Single circuit

Contact information

You have questions? We appreciate to help you:

Call +49 5531 - 7020

Write an email to info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.