


# SBB 751 SOL









DHW CYLINDER









PRODUCT-NO.: 229294

## Obligatory supplies

Article	Part no.	Type	Description
	231923	<b><u>WDH 751 SBB</u></b>	Thermal insulation

## Additional supplies

Article	Part no.	Type	Description
	000696	<b>FCR 28/270</b>	Flanged immersion heater
	000694	<b>FCR 28/120</b>	Flanged immersion heater
	000695	<b>FCR 28/180</b>	Flanged immersion heater
	231923	<b><u>WDH 751 SBB</u></b>	Thermal insulation
	075124	<b>FCR 28/360 Si</b>	Flanged immersion heater
	071332	<b>FCR 28/120</b>	Flanged immersion heater
	234503	<b>FCR 28/120 CrNi</b>	Flanged immersion heater
	001502	<b>FCR 28/360</b>	Flanged immersion heater
	232907	<b><u>WTS 30 E</u></b>	Loading station, DHW heating

	075141	<b>FCR 28/270 Si</b>	Flanged immersion heater
	075140	<b>FCR 28/120 Si</b>	Flanged immersion heater
	075131	<b>FCR 28/180 Si</b>	Flanged immersion heater
	071333	<b>FCR 28/180</b>	Flanged immersion heater
	232030	<b>BGC 2/60</b>	Threaded immersion heater
	233719	<b><u>UPZ</u></b>	DHW circulation pump
	074371	<b>DMV / ZH 1</b>	Special pressure reducing valve G 1 as supplement to ZH 1, if the static pressure at the installation location exceeds 0.48 MPa (4.8 bar). Brass. Connection 3/4 inch.
	074375	<b>SV 3/4-10</b>	Safety valve
	232908	<b><u>WTS 40 E</u></b>	Loading station, DHW heating
	074370	<b>ZH 1</b>	Safety assembly ZH 1 for sealed unvented electric floorstanding cylinders pressure reducing valve DMV/ZH1, may be retrofitted. Brass casing, G 3/4 connections.

**Contact information**

You have questions? We appreciate to help you:

Call +49 5531 - 7020

Write an email to [info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)

**Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.