

# SBB 751 SOL

DHW CYLINDER

PRODUCT-NO.: 229294

The large floorstanding SBB cylinders are ideal for large heat pumps in apartment buildings. With the SOL version, it is also possible to integrate a solar thermal system. Furthermore there are parallel connection options. The WTS E heating module from the accessory range is required for DHW heating and cylinder heating in conjunction with a heat pump.



## The main features

Enamelled cylinder for DHW heating with high heat pump output

---

750 l cylinder

---

Can be combined with a solar thermal system

---

For DHW heating in an apartment building

---

DHW heating in heat pump mode via matching heating module WTS 30/40 E (accessory)

---

Highly effective insulation for low heat losses (option)



Type	SBB 751 SOL	SBB 1001 SOL
<b>Part no.</b>	229294	229295
<b>Rated capacity</b>	736 l	971 l
<b>Diameter incl. thermal insulation</b>	1010 mm	1010 mm
<b>Height</b>	1777 mm	2277 mm

## Technical data

<b>DHW connection</b>	G 2 A	G 2 A
<b>Cold water connection</b>	G 2 A	G 2 A
<b>Heat exchanger connection</b>	G 1 A	G 1 A
<b>Surface, indirect coil</b>	3 m <sup>2</sup>	3,9 m <sup>2</sup>
<b>Flanged aperture</b>	280 mm	280 mm
<b>Height of unit when tilted</b>	1840 mm	2335 mm
<b>Max. recommended collector aperture area</b>	15 m <sup>2</sup>	20 m <sup>2</sup>
<b>Weight</b>	242 kg	296 kg

## **Contact information**

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **[info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)**

## **Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.