

SBBE 301 WP

DHW CYLINDER

PRODUCT-NO.: 234348

The SBBE DHW cylinders are state of the art. Thanks to their advanced, thick thermal insulation, they achieve excellent efficiency values. Standby energy consumption is reduced by approx. 50 % compared with earlier models.

Sleek design.

Another benefit: the design of the SBBE is geared to match that of STIEBEL ELTRON heat pumps to ensure that both appliances look in harmony side by side. Particularly because the pipework and connections at the back do not impact on the clear design.



The main features

300 l cylinder

Energy efficiency ratings A

Saves approx. half the standby energy that would otherwise be required

Temperature and heat content indication on the display

Special heat exchanger for heat pump operation

All hydraulic connections at the back

Designer fascia with adjustable depth for use with accessories

Maintenance free impressed current anode



| Type | SBBE 301 WP | SBBE 302 WP |
|----------------|-------------|-------------|
| Part no. | 234348 | 234349 |
| Rated capacity | 299 l | 290 l |
| Depth | 852 mm | 852 mm |
| Height | 1737 mm | 1737 mm |
| Width | 786 mm | 786 mm |

Technical data

| | | |
|--|---------------------|---------------------|
| Energy efficiency class | A | A |
| Standby energy consumption/24 h at 65 °C | 1,20 kWh | 1,20 kWh |
| Surface, indirect coil, top | 3,20 m ² | 4,80 m ² |
| Flanged aperture | 210 mm | 210 mm |
| Height of unit when tilted | 1885 mm | 1885 mm |
| Weight | 206 kg | 225 kg |

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.