

SBP 1000 E









HEATING BUFFER CYLINDER

PRODUCT-NO.: 227564

Obligatory supplies

Article	Part no.	Type	Description
	231929	WDH 1000 SBP	Thermal insulation, Standby energy consumption/24 h at 65 °C: 3,6 kWh, Insulation for: SBP 1000 E and E SOL, Height: 2340 mm, Thickness: 110 mm

Additional supplies

Article	Part no.	Type	Description
	232030	BGC 2/60	Threaded immersion heater, Depth of insertion: 480 mm
	231884	BF 80	Blank flange, Flange diameter: DN 80
	231885	FG 80/2	Flanged reducer DN 80 / G 2 A, Flange diameter: DN 80, Threaded connection: G 2 A
	234503	FCR 28/120 CrNi	Flanged immersion heater, Connected load with ~ 400 V: 6/12 kW, Version: Single/two line
	000695	FCR 28/180	Flanged immersion heater, Connected load with ~ 400 V: 18 kW, Version: Single circuit
	071333	FCR 28/180	Flanged immersion heater, Connected load with ~ 400 V: 9/18 kW, Version: Single/two line
	071332	FCR 28/120	Flanged immersion heater, Connected load with ~ 400 V: 6/12 kW, Version: Single/two line
	000696	FCR 28/270	Flanged immersion heater, Connected load with ~ 400 V: 27 kW, Version: Single circuit

	075124	FCR 28/360 Si	Flanged immersion heater, Connected load with ~ 400 V: 36 kW, Version: Single circuit
	001502	FCR 28/360	Flanged immersion heater, Connected load with ~ 400 V: 36 kW, Version: Single circuit
	000694	FCR 28/120	Flanged immersion heater, Connected load with ~ 400 V: 12 kW, Version: Single circuit
	075140	FCR 28/120 Si	Flanged immersion heater, Connected load with ~ 400 V: 12 kW, Version: Single circuit
	075131	FCR 28/180 Si	Flanged immersion heater, Connected load with ~ 400 V: 18 kW, Version: Single circuit

Contact information

You have questions? We appreciate to help you:

Call +49 5531 - 7020

Write an email to info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.