


# SBP 1000 E cool








HEATING BUFFER CYLINDER




PRODUCT-NO.: 227588

## Obligatory supplies

Article	Part no.	Type	Description
	231921	<b>WDH 1000 cool</b>	Thermal insulation, Standby energy consumption/24 h at 65 °C: 3,5 kWh, Insulation for: SBP 1000 and 1010 E cool, Height: 2340 mm, Thickness: 110 mm

## Additional supplies

Article	Part no.	Type	Description
	232030	<b>BGC 2/60</b>	Threaded immersion heater, Depth of insertion: 480 mm
	000694	<b>FCR 28/120</b>	Flanged immersion heater, Connected load with ~ 400 V: 12 kW, Version: Single circuit
	071332	<b>FCR 28/120</b>	Flanged immersion heater, Connected load with ~ 400 V: 6/12 kW, Version: Single/two line
	000695	<b>FCR 28/180</b>	Flanged immersion heater, Connected load with ~ 400 V: 18 kW, Version: Single circuit
	234503	<b>FCR 28/120 CrNi</b>	Flanged immersion heater, Connected load with ~ 400 V: 6/12 kW, Version: Single/two line
	075141	<b>FCR 28/270 Si</b>	Flanged immersion heater, Connected load with ~ 400 V: 27 kW, Version: Single circuit
	071333	<b>FCR 28/180</b>	Flanged immersion heater, Connected load with ~ 400 V: 9/18 kW, Version: Single/two line
	000696	<b>FCR 28/270</b>	Flanged immersion heater, Connected load with ~ 400 V: 27 kW, Version: Single circuit

	075124	<b>FCR 28/360 Si</b>	Flanged immersion heater, Connected load with ~ 400 V: 36 kW, Version: Single circuit
	001502	<b>FCR 28/360</b>	Flanged immersion heater, Connected load with ~ 400 V: 36 kW, Version: Single circuit
	075131	<b>FCR 28/180 Si</b>	Flanged immersion heater, Connected load with ~ 400 V: 18 kW, Version: Single circuit
	231885	<b><u>FG 80/2</u></b>	Flanged reducer DN 80 / G 2 A, Flange diameter: DN 80, Threaded connection: G 2 A
	231884	<b><u>BF 80</u></b>	Blank flange, Flange diameter: DN 80

**Contact information**

You have questions? We appreciate to help you:

Call +49 5531 - 7020

Write an email to [info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)

**Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.