

SBP 1000 E cool

HEATING BUFFER CYLINDER

PRODUCT-NO.: 227588

Overcome major challenges with ease

Enjoy the full range of functions Well equipped for major challenges – the larger versions of this buffer cylinder can be easily linked to large, high performance heat pumps, including cascades.

The largest versions of this cylinder are the preferred option for apartment buildings. A reliable operating pressure of 10 bar helps to ensure a particularly high level of reliability. If you opt to use the appliance for cooling as well, you'll have everything you need to enjoy the full range of functions offered by our heat pumps.

The main features

Specifically sized for high heat pump output, for example in the form of a cascade arrangement

Cooling operation possible

Thermal insulation as an optional accessory



SBP 1010 E cool

Product-No.: 236570



SBP 1500 E cool

Product-No.: 227589



Type	SBP 1000 E cool	SBP 1010 E cool	SBP 1500 E cool
Part no.	227588	236570	227589

Technical data

Nominal capacity	1006 l	1006 l	1503 l
Max. permissible pressure	0.30 MPa	1.00 MPa	0.30 MPa
Height incl. thermal insulation	2340 mm	2340 mm	2255 mm
Diameter incl. thermal insulation	1010 mm	1010 mm	1220 mm
Height when tilted	2335 mm	2335 mm	2250 mm
Weight	181 kg	242 kg	239 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.