

SBP 700 E SOL

PRODUCT-NO.: 185460

The perfect complement to your heat pump

You've decided on an environmentally responsible heat pump and are now looking for an accompanying buffer cylinder. This model for family homes is the perfect choice. If necessary, you can also connect an electric heater to the cylinder for a plentiful heat supply. If your heat pump supports reverse operation, the appliance can also store the water required for cooling. Make use of thermal energy

Our range also includes a model equipped with a special indirect coil. This allows you to make efficient and effective use of the heat yielded by your solar thermal system.



The main features

Designed for different heat pumps

Cooling operation possible

Individual cylinder selection subject to system size

Highly effective thermal insulation



Type	SBP 700 E SOL	SBP 200 E	SBP 400 E
Part no.	185460	185458	220824

Technical data

Standby energy consumption/ 24 h at 65 °C	2.20 kWh	1.10 kWh	1.60 kWh
Nominal capacity	703 l	207 l	415 l
Surface area, heat exchanger, bottom	2 m ²		
Height	1890 mm	1535 mm	1710 mm
Diameter incl. thermal insulation	910 mm	630 mm	750 mm
Height when tilted	2000 mm	1650 mm	1800 mm
Weight	216 kg	58 kg	81 kg



Type	SBP 700 E
Part no.	185459

Technical data

Standby energy consumption/ 24 h at 65 °C	2.20 kWh
Nominal capacity	720 l
Surface area, heat exchanger, bottom	
Height	1890 mm
Diameter incl. thermal insulation	910 mm
Height when tilted	2000 mm
Weight	185 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.