

HSBC 200 L

INTEGRAL CYLINDER

PRODUCT-NO.: 236684

With the integral HSBC 200 cylinder, instead of having the DHW cylinder and buffer cylinder standing side by side, they are one above the other in a single appliance. This almost halves the space required and means the appliance can be positioned in the smallest of spaces – for more available floor area.

Excellent solution for detached houses.

Precisely matched for use with a heat pump, the HSBC provides everything that a detached house needs in terms of heating and domestic hot water. All that and in a highly convenient format too!

HSBC 200 L – ideal for well appointed surroundings. The HSBC 200, type L, has all the same advantages. However, its equipment level is designed so that important major components, such as the controller and charging pump, are already fitted externally or available on the heat pump side. An ideal combination can be formed using the two sets with air | water heat pump: WPL 09 and 17 IKCS classic compact plus.



The main features

Combi appliance comprising a DHW cylinder and a buffer cylinder

Halves the installation space required for individual cylinders

Compact, compatible and energy saving for use in detached houses

Perfectly matched components for use in conjunction with an air | water heat pump for DHW and room heating



Type	HSBC 200 L
Part no.	236684
Nominal capacity, DHW cylinder	180 l
Nominal capacity, buffer cylinder	100 l
Height	1908 mm
Width	680 mm
Depth	800 mm

Technical data

Energy efficiency class	B
Standby energy consumption/24 h at 65 °C	1,3 kWh
Surface, indirect coil	1,6 m ²
Rated voltage	230 V
Heat pump connection	22 mm
Heating circuit connection	22 mm
Cold water connection	G 1 A
DHW connection	22 mm
DHW circulation connection	G 1/2 A
Height of unit when tilted	2107 mm
Weight	185 kg
Suitable for	WPL 09/17 ICS/ IKCS classic

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.