

# VRC-W 400 E

CENTRAL PRODUCT-NO.: 203637

#### Experience quiet air exchange

Are you worried that mechanical ventilation is too noisy? Rest assured, this wall mounted model features exceptionally quiet operation. This makes it ideal for use in apartments and family homes.

### Exchange air and obtain heat

The functions of the ventilation unit can be very conveniently operated with the remote control, which is available as an option. But air exchange alone is not the only benefit: thanks to the integral heat exchanger, this model recovers humidity and thermal energy from the extract air.





Product-No.: 203636

#### The main features

Central ventilation unit with heat recovery

Automatic ventilation for a high level of convenience; no time wasted opening windows manually

Quiet operation thanks to very good sound insulation

Best air quality thanks to optionally selectable filters, including activated carbon filter or pollen filter

Easy cleaning and filter change for optimum hygiene

Recovery of up to 89 % of the thermal energy in the extract air

Increased indoor air quality through moisture recovery







Туре	VRC-W 400	VRC-W 400 E
Part no.	203636	203637

## Technical data

94 %	89 %
ePM10 ≥ 50 % (M5)   ISO Coarse ≥ 65 % (G4)	ePM10 ≥ 50 % (M5)   ISO Coarse ≥ 65 % (G4)
50 dB(A)	49,6 dB(A)
997 mm	997 mm
690 mm	690 mm
534 mm	534 mm
160 mm	160 mm
78 kg	80 kg
230 V	230 V
-37.96 kWh/(m²a)	-35.33 kWh/(m²a)
-40.18 kWh/(m²a)	-37.28 kWh/(m²a)
A+	А
А	А
Α	А
60-400 m³/h	60-400 m³/h
	ePM10 ≥ 50 % (M5)   ISO Coarse ≥ 65 % (G4)  50 dB(A)  997 mm  690 mm  534 mm  160 mm  78 kg  230 V  -37.96 kWh/(m²a)  -40.18 kWh/(m²a)  A+  A



## **Contact information**

You have questions? We appreciate to help you: Call +49 5531 - 7020 Write an email to info@stiebel-eltron.com

#### Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.