

# VLR 70 S Trend EN

PRODUCT-NO.: 200002

Experience a strong performance in an inconspicuous design

This decentralised ventilation unit supplies fresh air to up to 100 m<sup>2</sup> of living space. Virtually no heat is lost, as it is fed back into the room with the outdoor air supply. This can help to reduce heating energy losses by as much as 92 %.

Keep pollutants out

Dirt and pollen don't stand a chance of finding their way into your home through this ventilation unit. Particularly good filter performance is achieved due to filters on both the inside and outside of the unit. As a result, people with allergies can breathe a sigh of relief as well.



## The main features

Decentralised ventilation unit for rooms with external walls

Very easy to clean thanks to the aluminium surface of the heat exchanger

Can provide intensive ventilation with low noise emissions

High air quality, plus long service life through the use of two filters per fan

Fitted with a fine dust/pollen filter making it ideal for allergy sufferers

Moisture recovery of up to 60 %

Control up to 8 units with the user interface

Recovery of up to 92 % of the thermal energy in the extract air



Type	VLR 70 L Trend EN	VLR 70 L Trend EU	VLR 70 S Trend EN
Part no.	201458	203133	200002

## Technical data

Air flow rate	20/30/40/49/70 m <sup>3</sup> /h	20/30/40/49/70 m <sup>3</sup> /h	20/30/40/49/70 m <sup>3</sup> /h
IP rating	IP 21	IP 21	IP 21
Rated voltage	24 V	24 V	24 V
Sound power level LWges relative to air flow rate	35 (at 20 m <sup>3</sup> /h) dB(A)	36 (at 20 m <sup>3</sup> /h) dB(A)	35 (at 20 m <sup>3</sup> /h) dB(A)
Weight	5.20 kg	5.20 kg	5.20 kg
Width	360 mm	360 mm	360 mm
Depth	780 mm	780 mm	590 mm
Height	285 mm	285 mm	285 mm

## **Contact information**

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **[info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)**

## **Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.