

Temptra 29 Plus

TEMPRA PLUS

PRODUCT-NO.: 239223

The main features

Full electronic control with Advanced Flow Control for maximum energy efficiency and accurate temperature delivery at all times

Large, backlit multifunction display

Economy monitor shows cost savings

Two temperature memory keys

Temperature limit (childproofing)

Compact space saving design

Easy and quick installation

High quality - Made in Germany





Type	Tempra 12 Plus	Tempra 15 Plus	Tempra 20 Plus
Part no.	239219	239220	239221
Height	369 mm	369 mm	369 mm
Width	420 mm	420 mm	420 mm
Depth	117 mm	117 mm	117 mm
Technical data			
Rated voltage 1	208 V	208 V	208 V
Rated output 1	9 kW	10,8 kW	14,4 kW
Rated current 1	44 A	2 x 26 A	2 x 35 A
Fuse 1	50 A	2 x 30 A	2 x 35 A
Rated voltage 2	240 V	240 V	240 V
Rated output 2	12 kW	14,4 kW	19,2 kW
Rated current 2	50 A	2 x 30 A	2 x 40 A
Fuse 2	50 A	2 x 30 A	2 x 40 A
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Power supply	1/GRD	2/GRD	2/GRD
Available temperature range	Off, 20-60 °C	Off, 20-60 °C	Off, 20-60 °C
Colour	white	white	white
Weight	6,1 kg	7,3 kg	7,3 kg



Type	Tempra 24 Plus	Tempra 29 Plus	Tempra 36 Plus
Part no.	239222	239223	239225
Height	369 mm	369 mm	369 mm
Width	420 mm	420 mm	420 mm
Depth	117 mm	117 mm	117 mm

Technical data

Rated voltage 1	208 V	208 V	208 V
Rated output 1	18 kW	21,6 kW	27 kW
Rated current 1	2 x 44 A	3 x 35 A	3 x 44 A
Fuse 1	2 x 50 A	3 x 35 A	3 x 50 A
Rated voltage 2	240 V	240 V	240 V
Rated output 2	24 kW	28,8 kW	36 kW
Rated current 2	2 x 50 A	3 x 40 A	3 x 50 A
Fuse 2	2 x 50 A	3 x 40 A	3 x 50 A
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Power supply	2/GRD	3/GRD	3/GRD
Available temperature range	Off, 20-60 °C	Off, 20-60 °C	Off, 20-60 °C
Colour	white	white	white
Weight	7,3 kg	8,6 kg	8,6 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.